



flair


COLLECTIONS
MARCH 2018



DE
FO

—

DESIGNED FOR LIFE



SINCE
1952

flair
—

CO

Founded in County Cavan in 1952, Flair have built up a trusted reputation as a specialist in the production of quality shower doors and bath screens. Our reputation has stood the test of time, making us the oldest manufacturer of our kind in Ireland. We are proud to be a brand of choice for customers.

With an unwavering commitment to customer care, Flair combine lifelong knowledge and expertise with advanced production techniques. We offer innovative designs that bring a new sense of enrichment to the bathroom and enjoyment to our customers.

The perfect blend of function and form. Designed for life.



CONTENTS

THE PERFECT
BLEND OF
FUNCTION
AND FORM



FLAIR FRAMELESS	08	FLAIR FRAMELESS COLOURED	26
NAMARA	36	SLIMLINE CAPELLA	56
CHIANTI	74	CHIANTI WETROOM	96
Bathscreen Collection	108	Shower Trays	114
Product Specifications	120	Installation Guide	142

FLAIR FRAMELESS

FLEXIBILITY IS KEY TO THE FLAIR FRAMELESS CONCEPT. THIS CLEVERLY DESIGNED RANGE IS SUITABLE FOR BOTH WETROOM AND SHOWER TRAY APPLICATION



FLAIR FRAMELESS

CORNER PIVOT DOORS

TRAY INSTALLATION ONLY - WITH HANDLE

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Corner Pivot Doors 800mm	765mm	790mm	640mm	FFCPD80SC
Corner Pivot Doors 900mm	865mm	890mm	740mm	FFCPD90SC
Corner Pivot Doors 1000mm	965mm	990mm	840mm	FFCPD100SC

WETROOM ONLY - WITH KNOB

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Corner Pivot Doors 800mm	780mm	800mm	640mm	FFCPD80S
Corner Pivot Doors 900mm	880mm	900mm	740mm	FFCPD90S



6mm
GLASS THICKNESS



HEIGHT
1950mm



20mm
PRODUCT ADJUSTMENT



25mm WALL PROFILE EXTENSION AVAILABLE



SUITABLE FOR WETROOM OR SHOWER TRAY INSTALLATION



SUITABLE FOR INSTALLATION WITH INLINE PANELS



INWARD AND OUTWARD OPENING



EASY ACCESS SOLUTION



FLAIR FRAMELESS CORNER PIVOT DOORS ON A SHOWER TRAY



FLAIR FRAMELESS CORNER PIVOT DOORS ON A WETROOM FLOOR

FLAIR FRAMELESS


OFFSET CORNER PIVOT DOORS

TRAY INSTALLATION ONLY - WITH HANDLE


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Offset Corner Pivot Doors 1000 x 800mm	765-965mm	790-990mm	640mm	FFCPD100X80SC
Offset Corner Pivot Doors 1200 x 800mm	765-1165mm	790-1190mm	640mm	FFCPD120X80SC
Offset Corner Pivot Doors 1200 x 900mm	865-1165mm	890-1190mm	740mm	FFCPD120X90SC

WETROOM ONLY - WITH KNOB


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Offset Corner Pivot Doors 1000 x 800mm	780-980mm	800-1000mm	640mm	FFCPD100x80S
Offset Corner Pivot Doors 1200 x 800mm	780-1180mm	800-1200mm	640mm	FFCPD120x80S
Offset Corner Pivot Doors 1200 x 900mm	880-1180mm	900-1200mm	740mm	FFCPD120x90S




6mm
GLASS THICKNESS




HEIGHT
1950mm




20mm
PRODUCT ADJUSTMENT




SUITABLE FOR
WETROOM OR
SHOWER TRAY
INSTALLATION




SUITABLE FOR
INSTALLATION
WITH INLINE
PANELS




INLINE PANEL
WITH
SHELVES OPTION
AVAILABLE



INWARD
AND OUTWARD
OPENING



EASY ACCESS
SOLUTION



25mm WALL
PROFILE
EXTENSION
AVAILABLE



FLAIR FRAMELESS OFFSET CORNER
PIVOT DOORS ON SHOWER TRAY



FLAIR FRAMELESS OFFSET CORNER
PIVOT DOORS ON WETROOM FLOOR



FLAIR FRAMELESS

PIVOT DOOR

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Pivot Door 700mm	650mm	700mm	514mm	FFPD70SC
Pivot Door 800mm	750mm	800mm	614mm	FFPD80SC
Pivot Door 900mm	850mm	900mm	714mm	FFPD90SC
Pivot Door 1000mm	950mm	1000mm	814mm	FFPD100SC

Suitable for installation with a side panel - See page 21.



NEW
CHROME
HANDLE
DESIGN

6mm
GLASS
THICKNESS

**HEIGHT
1950mm**

50mm
PRODUCT
ADJUSTMENT

SUITABLE FOR
WETROOM OR
SHOWER TRAY
INSTALLATION

SUITABLE FOR
SIDE PANEL
INSTALLATION

SUITABLE FOR
INSTALLATION
WITH 2
INLINE PANELS

INLINE PANEL
WITH
SHELVES OPTION
AVAILABLE

EASY ACCESS
SOLUTION

25mm WALL
PROFILE
EXTENSION
AVAILABLE



PIVOT DOOR,
INLINE PANEL WITH SHELVES

FLAIR FRAMELESS

INLINE PANELS



PIVOT DOOR INSTALLED
WITH 2 INLINE PANELS

SIZE OPTIONS

PRODUCT DESCRIPTION	CODE
Inline Panel 200mm	FFIL20SC
Inline Panel 300mm	FFIL30SC
Inline Panel 400mm	FFIL40SC
Inline Panel 200mm with 3 Shelves	FFILS20SC
Inline Panel 300mm with 3 Shelves	FFILS30SC
Inline Panel 400mm with 3 Shelves	FFILS40SC

Suitable for installation with a side panel - See page 21.
Please note, an inline panel can not be fitted directly adjoining a side panel

<p>6mm GLASS THICKNESS</p>	<p>HEIGHT 1950mm</p>	<p>SUITABLE FOR WETROOM OR SHOWER TRAY INSTALLATION</p>	<p>STRAIGHT STABILISER AVAILABLE ON REQUEST</p>
<p>INLINE PANEL WITH SHELVES OPTION AVAILABLE</p>	<p>SUPPLIED WITH FLAIR FRAMELESS STABILISING BAR</p>	<p>PATENTED FAILSAFE SECURE GLASS SYSTEM</p>	<p>25mm WALL PROFILE EXTENSION AVAILABLE</p>


FLAIR FRAMELESS

SALOON DOOR


SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Saloon Door 800mm	750mm	800mm	640mm	FFSD80SC
Saloon Door 900mm	850mm	900mm	740mm	FFSD90SC
Saloon Door 1000mm	950mm	1000mm	840mm	FFSD100SC
Saloon Door 1200mm	1150mm	1200mm	1040mm	FFSD120SC


Suitable for installation with a side panel - See page 21.




6mm
GLASS THICKNESS




HEIGHT
1950mm




50mm
PRODUCT ADJUSTMENT




INWARD AND OUTWARD OPENING




SUITABLE FOR WETROOM OR SHOWER TRAY INSTALLATION




25mm WALL PROFILE EXTENSION AVAILABLE




INLINE PANEL WITH SHELVES OPTION AVAILABLE




SUITABLE FOR INSTALLATION WITH INLINE PANELS



RISE BUTT HINGE MECHANISM FOR SMOOTH MOVEMENT



SUITABLE FOR SIDE PANEL INSTALLATION



EASY ACCESS SOLUTION





FLAIR FRAMELESS

SIDE PANEL
SUITABLE FOR PIVOT DOOR
OR SALOON DOORS

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Side Panel 700mm	665mm	690mm	FFSP70SC
Side Panel 800mm	765mm	790mm	FFSP80SC
Side Panel 900mm	865mm	890mm	FFSP90SC
Side Panel 1000mm	965mm	990mm	FFSP100SC
Side Panel 1200mm	1165mm	1900mm	FFSP120SC



PATENTED FAILSAFE
GLASS SYSTEM

6mm
GLASS
THICKNESS

HEIGHT
1950mm

25mm
PRODUCT
ADJUSTMENT

STRAIGHT
STABILISER
AVAILABLE
ON REQUEST

SUITABLE FOR
WETROOM OR
SHOWER TRAY
INSTALLATION

ALUMINIUM
FLOOR
PROTECTOR
STRIP

650mm
ANGLED
STABILISING
BAR WITH
SIDE PANEL

25mm WALL
PROFILE
EXTENSION
AVAILABLE

Please note, an inline panel can not be fitted directly adjoining a side panel.
Maximum of one inline panel to be installed when a side panel is being used.

FLAIR FRAMELESS

NEW

CURVED HINGED
WETROOM PANEL

SIZE OPTIONS

PRODUCT DESCRIPTION	CODE
Flair Frameless Curved Hinged Wetroom Panel 900mm Bright Silver with Clear Glass	FFCRR90SC
PRODUCT DESCRIPTION	CODE
Flair Frameless Curved Hinged Wetroom Panel 900mm Matte Black with Smoked Grey Glass	FFCRR90BG



6mm
GLASS
THICKNESS



HEIGHT
1950mm



25mm
PRODUCT
ADJUSTMENT



SUITABLE FOR
WETROOM
INSTALLATION
ONLY



401mm
RADIUS



REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION




ROTATES
180°




FLAIR FRAMELESS

NEW
HINGED ROTATING
WETROOM PANEL


SIZE OPTIONS	CODE
Hinged Rotating Wetroom Panel 300mm	FFPD30SC
Hinged Rotating Wetroom Panel 450mm	FFPD45SC
Hinged Rotating Wetroom Panel 600mm	FFPD60SC




6mm
GLASS
THICKNESS




HEIGHT
1950mm




25mm
PRODUCT
ADJUSTMENT



SUITABLE FOR
WETROOM OR
SHOWER TRAY
INSTALLATION



REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION



ROTATES
180°




—

THE INNOVATIVE FLAIR FRAMELESS COLOURED COLLECTION IS DESIGNED WITH THE VERY LATEST BATHROOM TRENDS IN MIND.

WITH A CHOICE OF MATTE BLACK OR SATIN CHROME PROFILES, THESE SHOWER DOORS WILL ADD A TOUCH OF GLAMOUR TO ANY SHOWER SPACE.

FLAIR FRAMELESS

MATTE BLACK WITH SMOKED GREY GLASS
SATIN CHROME WITH OPAQUE GLASS



<p>6mm GLASS THICKNESS</p>	<p>HEIGHT 1950mm</p>	<p>MAGNETIC CLOSURE</p>	<p>25mm WALL PROFILE EXTENSION AVAILABLE</p>
<p>CLEAN EASY COATING</p>	<p>RISING BUTT HINGE MECHANISM FOR SMOOTH MOVEMENT</p>	<p>EASY ACCESS SOLUTION</p>	<p>10 YEAR GUARANTEE</p>

SECURE GLASS SYSTEM

FLAIR FRAMELESS

PIVOT DOORS

MATTE BLACK WITH SMOKED GREY GLASS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Pivot Door 800mm Matte Black with Smoked Grey Glass	750mm	800mm	640mm	FFPD80BG
Pivot Door 900mm Matte Black with Smoked Grey Glass	850mm	900mm	740mm	FFPD90BG

SATIN CHROME WITH OPAQUE GLASS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Pivot Door 800mm LEFT HAND Satin Chrome with Opaque Glass	750mm	800mm	640mm	FFPD80LMP
Pivot Door 800mm RIGHT HAND Satin Chrome with Opaque Glass	750mm	800mm	640mm	FFPD80RMP
Pivot Door 900mm LEFT HAND Satin Chrome with Opaque Glass	850mm	900mm	740mm	FFPD90LMP
Pivot Door 900mm RIGHT HAND Satin Chrome with Opaque Glass	850mm	900mm	740mm	FFPD90RMP



6mm
GLASS THICKNESS



HEIGHT
1950mm



50mm
PRODUCT ADJUSTMENT



SUITABLE FOR
WETROOM OR
SHOWER TRAY
INSTALLATION



SUITABLE FOR
SIDE PANEL
INSTALLATION



SUITABLE FOR
INSTALLATION
WITH INLINE
PANELS



EASY ACCESS
SOLUTION




25mm WALL
PROFILE
EXTENSION
AVAILABLE



MATTE BLACK PIVOT DOOR WITH
SMOKED GREY GLASS

HANDED PRODUCT GUIDE Satin Chrome Pivot Door



LEFT HAND SATIN CHROME PIVOT DOOR WITH OPAQUE GLASS
(SHOWN WITH FRAMELESS SIDE PANEL)



MATTE BLACK SALOON DOORS WITH SMOKED GREY GLASS
(SHOWN WITH SIDE PANEL AND ADDITIONAL STRAIGHT STABILISER BAR)

FLAIR FRAMELESS

SALOON DOOR

MATTE BLACK WITH SMOKED GREY GLASS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Saloon Door 800mm Matte Black with Smoked Grey Glass	750mm	800mm	640mm	FFSD80BG
Saloon Door 900mm Matte Black with Smoked Grey Glass	850mm	900mm	740mm	FFSD90BG

SATIN CHROME WITH OPAQUE GLASS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Saloon Door 800mm Satin Chrome with Opaque Glass	750mm	800mm	640mm	FFSD80MP
Saloon Door 900mm Satin Chrome with Opaque Glass	850mm	900mm	740mm	FFSD90MP



SATIN CHROME SALOON DOORS
WITH OPAQUE GLASS

6mm
GLASS THICKNESS

HEIGHT
1950mm

50mm
PRODUCT ADJUSTMENT

↑↓
RISING BUTT HINGE MECHANISM FOR SMOOTH MOVEMENT

25mm WALL PROFILE EXTENSION AVAILABLE

SUITABLE FOR WETROOM OR SHOWER TRAY INSTALLATION

SUITABLE FOR SIDE PANEL INSTALLATION

SUITABLE FOR INSTALLATION WITH INLINE PANELS

INWARD AND OUTWARD OPENING

EASY ACCESS SOLUTION

FLAIR FRAMELESS

INLINE PANELS

MATTE BLACK WITH SMOKED GREY GLASS

PRODUCT DESCRIPTION	CODE
Flair Frameless Inline Panel 200mm Matte Black with Smoked Grey Glass	FFIL20BG
Flair Frameless Inline Panel 300mm Matte Black with Smoked Grey Glass	FFIL30BG
Flair Frameless Inline Panel 400mm Matte Black with Smoked Grey Glass	FFIL40BG

SATIN CHROME WITH OPAQUE GLASS

PRODUCT DESCRIPTION	CODE
Flair Frameless Inline Panel 200mm Satin Chrome with Opaque Glass	FFIL20MP
Flair Frameless Inline Panel 300mm Satin Chrome with Opaque Glass	FFIL30MP
Flair Frameless Inline Panel 400mm Satin Chrome with Opaque Glass	FFIL40MP



6mm
GLASS THICKNESS



HEIGHT
1950mm



SUITABLE FOR
WETROOM OR
SHOWER TRAY
INSTALLATION



SUPPLIED
WITH ANGLED
STABILISING
BAR



25mm WALL
PROFILE
EXTENSION
AVAILABLE



failsafe
PATENTED
FAILSAFE SECURE
GLASS SYSTEM



STRAIGHT
STABILISER
AVAILABLE
ON REQUEST

RIGHT HAND SATIN CHROME PIVOT DOOR AND
1 INLINE PANEL WITH OPAQUE GLASS





MATTE BLACK SALOON DOORS AND SIDE PANEL WITH SMOKED GREY GLASS
(SHOWN WITH ADDITIONAL SUPPORT STRAIGHT STABILISER BAR)

FLAIR FRAMELESS

SIDE PANEL -
SUITABLE FOR PIVOT DOORS OR SALOON DOORS

MATTE BLACK WITH SMOKED GREY GLASS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Flair Frameless Side Panel 800mm Matte Black with Smoked Grey Glass	765mm	790mm	FFSP80BG
Flair Frameless Side Panel 900mm Matte Black with Smoked Grey Glass	865mm	890mm	FFSP90BG

SATIN CHROME WITH OPAQUE GLASS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Flair Frameless Side Panel 800mm Satin Chrome with Opaque Glass	765mm	790mm	FFSP80MP
Flair Frameless Side Panel 900mm Satin Chrome with Opaque Glass	865mm	890mm	FFSP90MP

ADDITIONAL STABILISING BAR OPTIONS	CODE
Flair Frameless Matte Black Straight Stabiliser Bar 1200mm	S-FFSB120BG
Flair Frameless Satin Chrome Straight Stabiliser Bar 1200mm	S-FFSB120MP



PATENTED FAILSAFE
GLASS SYSTEM

6mm
GLASS THICKNESS

HEIGHT 1950mm

25mm
PRODUCT ADJUSTMENT

SUITABLE FOR WETROOM OR SHOWER TRAY INSTALLATION

ALUMINIUM FLOOR PROTECTOR STRIP


350mm
SUPPLIED WITH ANGLED STABILISING BAR

25mm WALL PROFILE EXTENSION AVAILABLE



LEFT HAND SATIN CHROME PIVOT DOOR AND
FRAMELESS SIDE PANEL WITH OPAQUE GLASS

NAMARA



BUILT TO STAND THE TEST OF TIME,
THE NAMARA COLLECTION BOASTS A
SUPERIOR RANGE OF 8MM SHOWER DOORS.

<p>UP TO 8mm GLASS THICKNESS</p>	<p>HEIGHT 1900mm</p>	<p>CLEAR SHIELD EASY TO CLEAN GLASS</p>	<p> 25mm WALL PROFILE EXTENSION AVAILABLE</p>
<p> REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION</p>	<p> CONCEALED CHROME COVER STRIP FITTINGS</p>	<p> SPARE PARTS AVAILABLE</p>	<p> LIFETIME GUARANTEE</p>

*Fixed panels are 6mm glass.

NAMARA

HINGE DOOR AND
INLINE PANEL


SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
1100mm	1050mm	1100mm	725mm	KHD110S
1200mm	1150mm	1200mm	725mm	KHD120S
1400mm	1350mm	1400mm	725mm	KHD140S
1600mm	1550mm	1600mm	725mm	KHD160S

Suitable for installation with a side panel - See page 55.



CLEARSHIELD EASY
TO CLEAN GLASS



STYLISH ALUMINIUM
DOOR HANDLE

8mm
GLASS
THICKNESS

HEIGHT
1900mm

50mm
PRODUCT
ADJUSTMENT

UNIQUE
INVISIBLE
MAGNETIC
CLOSE ACTION

QUALITY
CHROME
PLATED BRASS
HINGES

GENEROUS
ACCESS WIDTH



NAMARA

HINGE DOOR


SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
800mm	750mm	800mm	615mm	KHD80S
900mm	850mm	900mm	715mm	KHD90S
1000mm	950mm	1000mm	815mm	KHD100S

Suitable for installation with a side panel - See page 55.



CLEARSHIELD EASY TO CLEAN GLASS



STYLISH ALUMINIUM DOOR HANDLE

8mm
GLASS THICKNESS

HEIGHT
1900mm

50mm
PRODUCT ADJUSTMENT

UNIQUE INVISIBLE MAGNETIC CLOSE ACTION

QUALITY CHROME PLATED BRASS HINGES

GENEROUS ACCESS WIDTH




NAMARA


ONE DOOR QUADRANT

SIZE OPTIONS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
One Door Quadrant 900mm	870mm	895mm	470mm	KOCQ90S
One Door Quadrant 1000mm	970mm	995mm	510mm	KOCQ100S




UP TO
8mm
GLASS THICKNESS




HEIGHT
1900mm




25mm
PRODUCT ADJUSTMENT



INNOVATIVE
SOFT STOP
DOOR CLOSE



QUICK RELEASE
DOUBLE
ROLLERS



STAINLESS STEEL
WHEEL BRACKETS
& BALL BEARINGS





NAMARA

ONE DOOR OFFSET QUADRANT
LONG SIDE OPENING

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
One Door Offset Quadrant 1000 x 800mm (Long Side Opening)	770-970mm	795-995mm	500mm	KOCQ100x80SL
One Door Offset Quadrant 1200 x 800mm (Long Side Opening)	770-1170mm	795-1195mm	500mm	KOCQ120x80SL
One Door Offset Quadrant 1200 x 900mm (Long Side Opening)	870-1170mm	895-1195mm	500mm	KOCQ120x90SL



ERGONOMICALLY
DESIGNED ALUMINIUM
HANDLES



INNOVATIVE SOFT STOP
DOOR CLOSE MECHANISM

UP TO
8mm
GLASS
THICKNESS

HEIGHT
1900mm

25mm
PRODUCT
ADJUSTMENT

INNOVATIVE
SOFT STOP
DOOR CLOSE

QUICK RELEASE
DOUBLE
ROLLERS

STAINLESS STEEL
WHEEL BRACKETS
& BALL BEARINGS

UNIQUE ACCESS
POSITION



NAMARA

BI-FOLD DOOR

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
800mm	750mm	800mm	486mm	KBF80S
900mm	850mm	900mm	606mm	KBF90S
1000mm	950mm	1000mm	694mm	KBF100S
1200mm*	1150mm	1200mm	694mm	KBF120S

Suitable for installation with a side panel - See page 55.



Note
On the 1200mm Bi-Fold Door (KBF120S) there is a fixed 200mm panel as shown.

8

GLASS THICKNESS

↑ ↓

HEIGHT 1900mm

50

PRODUCT ADJUSTMENT

Wrench icon

EASY TO FIT SLOTTED WALL JAMBS

Lightning bolt icon

UNIQUE INVISIBLE MAGNETIC CLOSE ACTION

Wheel icon

STAINLESS STEEL WHEEL BRACKETS & BALL BEARINGS



CLEARSHIELD EASY TO CLEAN GLASS

NAMARA

CORNER ENTRY &
OFFSET CORNER ENTRY

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
800mm	770mm	795mm	423mm	KICE80S
900mm	870mm	895mm	494mm	KICE90S
700 x 800mm	670-695mm	770-795mm	390mm	KICE70x80S NEW
700 x 900mm	670-695mm	870-895mm	429mm	KICE70x90S NEW
700 x 1000mm	670-695mm	970-995mm	471mm	KICE70x100S NEW



STYLISH ALUMINIUM
DOOR HANDLES



CLEARSHIELD EASY TO
CLEAN GLASS

UP TO

8

GLASS THICKNESS

HEIGHT

1900mm

25

PRODUCT ADJUSTMENT

INNOVATIVE
SOFT STOP
DOOR CLOSE

QUICK RELEASE
DOUBLE
ROLLERS

STAINLESS STEEL
WHEEL BRACKETS
& BALL BEARINGS

EASY TO FIT
SLOTTED
WALL JAMBS



NAMARA

CENTRAL OPENING
DOUBLE DOOR SLIDER

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
1400mm	1350mm	1400mm	540mm	KSADD140S
1500mm	1450mm	1500mm	590mm	KSADD150S
1600mm	1550mm	1600mm	640mm	KSADD160S
1700mm	1650mm	1700mm	690mm	KSADD170S
1800mm	1750mm	1800mm	740mm	KSADD180S

Suitable for installation with a side panel - See page 55.



STYLISH ALUMINIUM
DOOR HANDLES



CENTRAL OPENING SLIDER INSTALLED
WITH A FRAMELESS SIDE PANEL

UP TO

8

GLASS THICKNESS

HEIGHT

1900mm

50

PRODUCT ADJUSTMENT

QUICK RELEASE DOUBLE ROLLERS

STAINLESS STEEL WHEEL BRACKETS & BALL BEARINGS

EASY TO FIT SLOTTED WALL JAMBS

IDEAL FOR BATH REPLACEMENT





NAMARA

SLIDER

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
1000mm	950mm	1000mm	385mm	KSA100S
1100mm	1050mm	1100mm	435mm	KSA110S
1200mm	1150mm	1200mm	485mm	KSA120S
1400mm	1350mm	1400mm	585mm	KSA140S
1500mm	1450mm	1500mm	635mm	KSA150S
1600mm	1550mm	1600mm	685mm	KSA160S
1700mm	1650mm	1700mm	685mm	KSA170S
1800mm	1750mm	1800mm	685mm	KSA180S

Suitable for installation with a side panel - See page 55.



STYLISH ALUMINIUM HANDLES



CLEARSHIELD EASY TO CLEAN GLASS

UP TO
8mm
GLASS THICKNESS

1900mm
HEIGHT

50mm
PRODUCT ADJUSTMENT

INNOVATIVE
SOFT STOP
DOOR CLOSE

QUICK RELEASE
DOUBLE
ROLLERS

STAINLESS STEEL
WHEEL BRACKETS
& BALL BEARINGS

IDEAL FOR
BATH
REPLACEMENT



NAMARA

SIDE PANEL OPTIONS

FRAMED SIDE PANEL SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Framed Side Panel 700mm	660mm	685mm	KSP70S
Framed Side Panel 760mm	720mm	745mm	KSP76S
Framed Side Panel 800mm	760mm	785mm	KSP80S
Framed Side Panel 900mm	860mm	885mm	KSP90S

FRAMELESS SIDE PANEL SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Frameless Side Panel 700mm	665mm	690mm	KUFSP70S
Frameless Side Panel 900mm	865mm	890mm	KUFSP90S
Frameless Side Panel 1000mm	965mm	990mm	KUFSP100S
Frameless Side Panel 1200mm	1165mm	1190mm	KUFSP120S



NAMARA HINGED DOOR INSTALLED WITH FRAMELESS SIDE PANEL

8mm

GLASS THICKNESS

1900mm

HEIGHT

25mm

PRODUCT ADJUSTMENT

EASY TO FIT SLOTTED WALL JAMBS

FRAMED OR FRAMELESS OPTIONS AVAILABLE

SLIMLINE CAPELLA

WITH MINIMALIST DESIGN
AND AN INNOVATIVE SILENT
ROLLER MECHANISM, SLIMLINE
CAPELLA IS THE PERFECT BLEND
OF FUNCTION AND FORM.


UNIQUE EASY INSTALL PATENTED SYSTEM



TWIST - ADJUST TO SUIT



LOCK - TO SECURE



6mm GLASS THICKNESS	HEIGHT 1900mm	PATENTED TWIST + LOCK ADJUSTMENT MECHANISM	INNOVATIVE SILENT WHEEL TRACK SYSTEM	
CLEAN EASY COATING	REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION	25mm WALL PROFILE EXTENSION AVAILABLE	SPARE PARTS AVAILABLE	LIFETIME GUARANTEE



SLIMLINE CAPELLA

PIVOT DOOR

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Pivot Door 800mm	700mm	800mm	430mm	SCTPD80S
Pivot Door 900mm	800mm	900mm	530mm	SCTPD90S
Pivot Door 1000mm	900mm	1000mm	630mm	SCTPD100S
Pivot Door 1200mm	1100mm	1200mm	630mm	SCTPD120S

Suitable for installation with a side panel - See page 73.



SLEEK POLISHED
CHROME HANDLES



MINIMALIST CHROME
PROFILES AND PIVOT HINGE

6mm
GLASS
THICKNESS

HEIGHT
1900mm

100mm
PRODUCT
ADJUSTMENT

MAGNETIC
CLOSURE

SLEEK CHROME
PLATED DOOR
HANDLES

SUITABLE FOR
SIDE PANEL
INSTALLATION



SLIMLINE CAPELLA

SLIDER DOOR

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Slider Door 1000mm	940mm	1000mm	380mm	SCTSA100S
Slider Door 1100mm	1040mm	1100mm	430mm	SCTSA110S
Slider Door 1200mm	1140mm	1200mm	470mm	SCTSA120S
Slider Door 1300mm	1200mm	1300mm	490mm	SCTSA130S
Slider Door 1400mm	1300mm	1400mm	540mm	SCTSA140S
Slider Door 1500mm	1400mm	1500mm	590mm	SCTSA150S

Suitable for installation with a side panel - See page 73.



SLEEK POLISHED
CHROME HANDLES



QUICK RELEASE
DOUBLE ROLLERS

6mm
GLASS
THICKNESS

HEIGHT
1900mm

UP TO
100mm
PRODUCT
ADJUSTMENT

INNOVATIVE
SILENT WHEEL
TRACK SYSTEM

SLEEK CHROME
PLATED DOOR
HANDLES

SUITABLE FOR
SIDE PANEL
INSTALLATION

SLIMLINE CAPELLA

CORNER ENTRY

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Corner Entry 700 × 700mm	650mm	700mm	328mm	SCTCE70S
Corner Entry 800 × 800mm	740mm	800mm	385mm	SCTCE80S
Corner Entry 900 × 900mm	840mm	900mm	456mm	SCTCE90S
Corner Entry 1000 × 1000mm	940mm	1000mm	528mm	SCTCE100S
Corner Entry 1200 × 1200mm	1140mm	1200mm	528mm	SCTCE120S



SLEEK POLISHED
CHROME HANDLES



SOFT SILICONE
WHEEL TRACK

6mm
GLASS THICKNESS

HEIGHT
1900mm

UP TO
60mm
PRODUCT ADJUSTMENT

INNOVATIVE
SILENT WHEEL
TRACK SYSTEM

QUICK RELEASE
DOUBLE
ROLLERS

SLEEK CHROME
PLATED DOOR
HANDLES





SLIMLINE CAPELLA

OFFSET CORNER ENTRY

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Offset Corner Entry 700 x 900mm	650-700mm	840-900mm	370mm	SCTCE70x90S
Offset Corner Entry 700 x 1000mm	650-700mm	940-1000mm	407mm	SCTCE70x100S
Offset Corner Entry 700 x 1200mm	650-700mm	1140-1200mm	442mm	SCTCE70x120S
Offset Corner Entry 800 x 900mm	740-800mm	840-900mm	405mm	SCTCE80x90S
Offset Corner Entry 800 x 1000mm	740-800mm	940-1000mm	442mm	SCTCE80x100S
Offset Corner Entry 800 x 1200mm	740-800mm	1140-1200mm	462mm	SCTCE80x120S
Offset Corner Entry 900 x 1000mm	840-900mm	940-1000mm	493mm	SCTCE90x100S
Offset Corner Entry 900 x 1200mm	840-900mm	1140-1200mm	493mm	SCTCE90x120S



SLEEK POLISHED
CHROME HANDLES



QUICK RELEASE
DOUBLE ROLLERS

6mm
GLASS THICKNESS

HEIGHT
1900mm

UP TO
60mm
PRODUCT ADJUSTMENT

INNOVATIVE
SILENT WHEEL
TRACK SYSTEM

SLEEK CHROME
PLATED DOOR
HANDLES

REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION



SLIMLINE CAPELLA

BI-FOLD DOOR

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Bi-fold Door 700mm	630mm	700mm	370mm	SCTBF70S
Bi-fold Door 800mm	730mm	800mm	440mm	SCTBF80S
Bi-fold Door 900mm	800mm	900mm	510mm	SCTBF90S
Bi-fold Door 1000mm	900mm	1000mm	610mm	SCTBF100S
Bi-fold Door 1100mm	1000mm	1100mm	610mm	SCTBF110S
Bi-fold Door 1200mm	1100mm	1200mm	610mm	SCTBF120S

Suitable for installation with a side panel - See page 73.



SLEEK POLISHED
CHROME HANDLES



BI-FOLD HINGE

6mm

GLASS
THICKNESS

↑↓

HEIGHT
1900mm

UP TO
100mm

PRODUCT
ADJUSTMENT

INNOVATIVE
SILENT WHEEL
TRACK SYSTEM

MAGNETIC
CLOSURE

SLEEK CHROME
PLATED DOOR
HANDLES

SUITABLE FOR
SIDE PANEL
INSTALLATION

SLIMLINE CAPELLA

2 DOOR QUADRANT

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Quadrant 800 x 800mm	750mm	800mm	385mm	SCTCQ80S
Quadrant 900 x 900mm	850mm	900mm	525mm	SCTCQ90S
Quadrant 1000 x 1000mm	950mm	1000mm	525mm	SCTCQ100S



SLEEK POLISHED
CHROME HANDLES



MINIMALIST CHROME
PLATED PROFILES

6mm

GLASS THICKNESS

HEIGHT

1900mm

50mm

PRODUCT ADJUSTMENT

INNOVATIVE SILENT WHEEL TRACK SYSTEM

SUITABLE FOR SIDE PANEL INSTALLATION



SLIMLINE CAPELLA

2 DOOR OFFSET QUADRANT

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Offset Quadrant 900 × 800mm	750-800mm	850-900mm	460mm	SCTCQ80x90S
Offset Quadrant 1000 × 800mm	750-800mm	950-1000mm	460mm	SCTCQ80x100S
Offset Quadrant 1200 × 800mm	750-800mm	1150-1200mm	460mm	SCTCQ80x120S
Offset Quadrant 1200 × 900mm	850-900mm	1150-1200mm	525mm	SCTCQ90x120S



SLEEK POLISHED
CHROME HANDLES



QUICK RELEASE
DOUBLE ROLLERS

GLASS THICKNESS

HEIGHT 1900mm

PRODUCT ADJUSTMENT

INNOVATIVE SILENT WHEEL TRACK SYSTEM

SUITABLE FOR SIDE PANEL INSTALLATION





SLIMLINE CAPELLA

FRAMELESS SIDE PANELS

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Frameless Side Panel 760mm	730mm	750mm	SCTSP76S
Frameless Side Panel 800mm	770mm	790mm	SCTSP80S
Frameless Side Panel 900mm	870mm	890mm	SCTSP90S
Frameless Side Panel 1000mm	970mm	990mm	SCTSP100S
Frameless Side Panel 1100mm	1070mm	1090mm	SCTSP110S
Frameless Side Panel 1200mm	1170mm	1190mm	SCTSP120S



PIVOT DOOR WITH SIDE PANEL

6mm

GLASS THICKNESS

↑

HEIGHT
1900mm

20mm

PRODUCT ADJUSTMENT

6mm

GLASS THICKNESS

↻

REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION


≡

EXTRA LARGE
SIZES AVAILABLE




WITH AN EXTENSIVE RANGE OF STYLES AND SIZES, CHIANTI IS CHARACTERISED BY OUTSTANDING QUALITY, AT AN AFFORDABLE PRICE. THE PERFECT SHOWER DOOR FOR YOUR FAMILY BATHROOM, DESIGNED FOR LIFE.

CHIANTI



NOW WITH EXPRESS FIT MECHANISM





6mm
GLASS THICKNESS



HEIGHT
1900mm



CLEAN
EASY
COATING



SPARE PARTS
AVAILABLE



30mm WALL
PROFILE
EXTENSION
AVAILABLE



LIFETIME
GUARANTEE



EXPRESS
FIT
QUICK FIT INSTALLATION

CHIANTI

HINGED QUADRANT AND HINGED OFFSET QUADRANT

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinged Quadrant 900mm	870mm	900mm	570mm	CHHQ90S
Hinged Quadrant 1000mm	970mm	1000mm	570mm	CHHQ100S
Hinged Offset Quadrant 800 x 1000mm	770-800mm	970- 1000mm	570mm	CHHQ80x100S
Hinged Offset Quadrant 800 x 1200mm	770-800mm	1170- 1200mm	570mm	CHHQ80x120S
Hinged Offset Quadrant 900 x 1200mm	870-900mm	1170- 1200mm	570mm	CHHQ90x120S



Note - Offset quadrant door must hinge from the large fixed panel.

6mm

GLASS THICKNESS

↑ ↓

HEIGHT 1900mm

30mm

PRODUCT ADJUSTMENT

🔧

CHROME PLATED HANDLES AND HINGES

🔗

MAGNETIC CLOSURE

🛡️

CHROME PLATED COVER CAPS

↺ ↻

REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION



CHIANTI

CENTRAL OPENING 1 DOOR QUADRANT
AND OFFSET QUADRANT (CHCOQ)

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Central Opening Quadrant 900mm	870mm	900mm	490mm	CHCOQ90S
Central Opening Offset Quadrant 800 x 1000mm	770-800mm	970-1000mm	510mm	CHCOQ80x100S
Central Opening Offset Quadrant 800 x 1200mm	770-800mm	1170-1200mm	520mm	CHCOQ80x120S
Central Opening Offset Quadrant 900 x 1200mm	870-900mm	1170-1200mm	520mm	CHCOQ90x120S



STYLISH CHROME
PLATED HANDLES



QUICK RELEASE BOTTOM
DOUBLE ROLLERS



6mm
GLASS
THICKNESS




HEIGHT
1900mm



30mm
PRODUCT
ADJUSTMENT



MAGNETIC
CLOSURE



CHROME
PLATED
COVER CAPS





CHIANTI

SINGLE DOOR QUADRANT AND
OFFSET QUADRANT (CH1CQ)

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
I Door Quadrant 900mm	870mm	900mm	590mm	CH1CQ90S
I Door Quadrant 1000mm	970mm	1000mm	590mm	CH1CQ100S
I Door Offset Quadrant 1000 x 800mm	770-800mm	970-1000mm	550mm	CH1CQ100x80S
I Door Offset Quadrant 1200 x 800mm	770-800mm	1170-1200mm	550mm	CH1CQ120x80S
I Door Offset Quadrant 1200 x 900mm	870-900mm	1170-1200mm	590mm	CH1CQ120x90S



SOLID CHROME
PLATED HANDLES



STYLISH CHROME
PROFILE COVER CAPS



6mm

GLASS
THICKNESS

↑ ↓

HEIGHT
1900mm

30mm

PRODUCT
ADJUSTMENT

MAGNETIC
CLOSURE

CHROME
PLATED
COVER CAPS

CHIANTI

HINGED DOOR

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinged Door 760mm	702mm	760mm	570mm	CHHD76S
Hinged Door 800mm	742mm	800mm	610mm	CHHD80S
Hinged Door 900mm	842mm	900mm	710mm	CHHD90S
Hinged Door 1000mm	942mm	1000mm	810mm	CHHD100S

NEW - SPECIAL HEIGHT CHIANTI

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinged Door 800mm - Special Height 1800mm	742mm	800mm	610mm	B-CHHD80S
Hinged Door 900mm - Special Height 1800mm	842mm	900mm	710mm	B-CHHD90S


Suitable for installation with a side panel - See page 95.



STYLISH CHROME
PLATED HANDLES



CLEANEASY
GLASS COATING



CHIANTI

BI-FOLD DOOR

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Bi-Fold Door 760mm	700mm	760mm	430mm	CHBF76S
Bi-Fold Door 800mm	740mm	800mm	460mm	CHBF80S
Bi-Fold Door 900mm	840mm	900mm	540mm	CHBF90S
Bi-Fold Door 1000mm	940mm	1000mm	620mm	CHBF100S
Bi-Fold Door 1100mm	1040mm	1100mm	660mm	CHBF110S

NEW - SPECIAL HEIGHT CHIANTI

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Bi-Fold Door 800mm - Special Height 1800mm	740mm	800mm	460mm	B-CHBF80S
Bi-Fold Door 900mm - Special Height 1800mm	840mm	900mm	540mm	B-CHBF90S

Suitable for installation with a side panel - See page 95.



CLEANEASY GLASS COATING



STYLISH CHROME PROFILE COVER CAPS





CHIANTI

SLIDER DOOR

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Slider Door 1100mm	1043mm	1100mm	430mm	CHSA110S
Slider Door 1200mm	1143mm	1200mm	480mm	CHSA120S

NEW - SPECIAL HEIGHT CHIANTI

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Slider Door 1200mm - Special Height 1800mm	1143mm	1200mm	480mm	B-CHSA120S

Suitable for installation with a side panel - See page 95.



WITH FRAMELESS SIDE PANEL



QUICK RELEASE BOTTOM DOUBLE ROLLERS



6mm
GLASS THICKNESS

HEIGHT
1900mm

UP TO
60mm
PRODUCT ADJUSTMENT

CHROME PLATED HANDLES

MAGNETIC CLOSURE

QUICK RELEASE DOUBLE ROLLERS



CHIANTI

CURVED QUADRANT

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Curved Quadrant 800mm	770mm	800mm	410mm	CHCQ80S
Curved Quadrant 900mm	870mm	900mm	540mm	CHCQ90S
Curved Quadrant 1000mm	970mm	1000mm	540mm	CHCQ100S

NEW - SPECIAL HEIGHT CHIANTI

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Curved Quadrant 900mm - Special Height 1750mm	870mm	900mm	540mm	CHCQ90175S



STYLISH CHROME
PLATED HANDLES



QUICK RELEASE
BOTTOM
DOUBLE ROLLERS



GLASS
THICKNESS



HEIGHT
1900mm



UP TO
30mm
PRODUCT
ADJUSTMENT



MAGNETIC
CLOSURE



QUICK RELEASE
DOUBLE
ROLLERS

CHIANTI

OFFSET QUADRANT

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Offset Quadrant 800 x 1000mm	770-970mm	800-1000mm	475mm	CHCQ80x100S
Offset Quadrant 800 x 1200mm	770-1170mm	800-1200mm	475mm	CHCQ80x120S
Offset Quadrant 900 x 1200mm	870-1170mm	900-1200mm	540mm	CHCQ90x120S



STYLISH CHROME
PLATED HANDLES



QUICK RELEASE BOTTOM
DOUBLE ROLLERS



GLASS
THICKNESS



HEIGHT
1900mm



PRODUCT
ADJUSTMENT



MAGNETIC
CLOSURE



CHIANTI

CORNER ENTRY

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Corner Entry 800mm	770mm	800mm	420mm	CHCE80S
Corner Entry 900mm	870mm	900mm	460mm	CHCE90S

NEW - SPECIAL HEIGHT CHIANTI

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Corner Entry 800mm - Special height 1800mm	770mm	800mm	420mm	B-CHCE80S
Corner Entry 900mm - Special height 1800mm	870mm	900mm	460mm	B-CHCE90S



STYLISH CHROME
PROFILE COVER CAPS



STYLISH CHROME
PLATED HANDLES



CHIANTI


FRAMELESS SIDE PANEL

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Frameless Side Panel 700mm	660mm	690mm	CHSP70S
Frameless Side Panel 760mm	720mm	750mm	CHSP76S
Frameless Side Panel 800mm	760mm	790mm	CHSP80S
Frameless Side Panel 900mm	860mm	890mm	CHSP90S
Frameless Side Panel 1000mm	960mm	990mm	CHSP100S

NEW - SPECIAL HEIGHT CHIANTI

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Frameless Side panel 800mm - Special height 1800mm	760mm	790mm	B-CHSP80S
Frameless Side panel 900mm - Special height 1800mm	860mm	890mm	B-CHSP90S
Frameless Side panel 1000mm- Special height 1800mm	960mm	990mm	B-CHSP100S



CLEANEASY
GLASS COATING



SLIDER WITH FRAMELESS SIDE PANEL

EXPRESS
FIT

QUICK FIT INSTALLATION



CHIANTI WETROOM COLLECTION



CREATE A MODERN MINIMALIST LOOK
WITH YOUR CHIANTI WETROOM SCREEN.

THESE STYLISH GLASS PANELS ARE SUPPLIED
WITH A CHROME STABILISING BAR SO YOU
CAN DESIGN A WETROOM SPACE TO THE
EXACT DIMENSIONS YOU REQUIRE.





CHIANTI WETROOM

NEW
CHIANTI DOUBLE ENTRY
WETROOM SCREEN

SIZE OPTIONS

PRODUCT DESCRIPTION	ACCESS	CODE
Chianti Double Entry Wetroom Screen	1050mm	CHWRDE120S



CHROME STABILISING BAR

8mm
GLASS THICKNESS

HEIGHT
2000mm

15mm
PRODUCT ADJUSTMENT

1050mm
STAINLESS STEEL STABILISING BARS SUPPLIED

1400mm
STABILISING BARS AVAILABLE ON REQUEST

SUITABLE FOR WETROOM OR SHOWER TRAY INSTALLATION

ALUMINIUM FLOOR PROTECTOR STRIP

NEW

CHIANTI

WETROOM


OPAQUE CENTREPIECE

WETROOM PANELS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Wetroom Panel 900mm - Opaque Centre Piece	875mm	890mm	1050mm	CHWR90SP
Wetroom Panel 1000mm - Opaque Centre Piece	975mm	990mm	1050mm	CHWR100SP
Wetroom Panel 1200mm - Opaque Centre Piece	1175mm	1190mm	1050mm	CHWR120SP
Wetroom Panel 1400mm - Opaque Centre Piece	1375mm	1390mm	1050mm	CHWR140SP

END PANELS WITH TOWEL RAIL


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
End Panel 800mm with Towel Rail - Opaque Centre Piece	775mm	90mm	-	CHWREP80SP*
End Panel 900mm with Towel Rail - Opaque Centre Piece	875mm	890mm	-	CHWREP90SP*
End Panel 1000mm with Towel Rail - Opaque Centre Piece	975mm	990mm	-	CHWREP100SP
End Panel 1200mm with Towel Rail - Opaque Centre Piece	1175mm	1190mm	-	CHWREP120SP
End Panel 1400mm with Towel Rail - Opaque Centre Piece	1375mm	1390mm	-	CHWREP140SP




8mm
GLASS THICKNESS




HEIGHT
2000mm




15mm
PRODUCT ADJUSTMENT




1050mm
STAINLESS STEEL
STABILISING
BAR SUPPLIED




ALUMINIUM
FLOOR
PROTECTOR
STRIP




POLISHED
STAINLESS
STEEL
TOWEL RAIL



SUITABLE FOR
WETROOM OR
SHOWER TRAY
INSTALLATION



T BAR BRACKET
AVAILABLE



1400mm
STABILISING
BAR AVAILABLE
ON REQUEST

*CHWREP80SP and CHWREP90SP includes 650mm angled stabilising bar.



CHIANTI WETROOM

WETROOM SCREENS

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Wetroom Panel 300mm*	275mm	290mm	CHWR30S
Wetroom Panel 450mm*	425mm	440mm	CHWR45S
Wetroom Panel 500mm*	475mm	490mm	CHWR50S
Wetroom Panel 600mm*	575mm	590mm	CHWR60S
Wetroom Panel 700mm	675mm	690mm	CHWR70S
Wetroom Panel 760mm	735mm	750mm	CHWR76S
Wetroom Panel 800mm	775mm	790mm	CHWR80S
Wetroom Panel 900mm	875mm	890mm	CHWR90S
Wetroom Panel 1000mm	975mm	990mm	CHWR100S
Wetroom Panel 1100mm	1075mm	1090mm	CHWR110S
Wetroom Panel 1200mm	1175mm	1190mm	CHWR120S
Wetroom Panel 1400mm	1375mm	1390mm	CHWR140S
Wetroom Panel 1600mm	1575mm	1590mm	CHWR160S
Wetroom Panel 1800mm	1775mm	1790mm	CHWR180S
1050mm Stabilising Bar (Included)			S-CHWRSSB
1400mm Stabilising Bar (Available on request)			S-CHSB1400S

*650mm Angled Stabilising bar supplied with these panels.

8mm

GLASS THICKNESS

HEIGHT
2000mm

15mm

PRODUCT ADJUSTMENT

1050mm

STAINLESS STEEL STABILISING BAR SUPPLIED

1400mm

STABILISING BAR AVAILABLE ON REQUEST

SUITABLE FOR WETROOM OR SHOWER TRAY INSTALLATION

ALUMINIUM FLOOR PROTECTOR STRIP



CHROME STABILISING BAR





CHIANTI WETROOM

RETURN PANELS

SIZE OPTIONS

PRODUCT DESCRIPTION	CODE
Rotating Swivel Return Panel 300mm	WRRP30S
Rotating Swivel Return Panel 450mm	WRRP45S
Fixed Return Panel 300mm	WRF30S
Fixed Return Panel 450mm	WRF45S



CHIANTI FIXED
RETURN PANEL

8E
GLASS
THICKNESS

HEIGHT
2000mm

15E
PRODUCT
ADJUSTMENT

1200E
STABILISING
BAR SUPPLIED
WITH SWIVEL
PANEL

SUITABLE FOR
WETROOM OR
SHOWER TRAY
INSTALLATION

SWIVEL PANEL
ROTATES 180°

RIISING BUTT
HINGE
MECHANISM
FOR SWIVEL
PANEL

CHIANTI WETROOM

END PANEL WITH TOWEL RAIL

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
End Panel 700mm with Towel Rail	675mm	690mm	-	CHWREP70S*
End Panel 800mm with Towel Rail	775mm	790mm	-	CHWREP80S*
End Panel 900mm with Towel Rail	875mm	890mm	-	CHWREP90S*
End Panel 1000mm with Towel Rail	975mm	990mm	-	CHWREP100S•
End Panel 1200mm with Towel Rail	1175mm	1190mm	-	CHWREP120S•
End Panel 1400mm with Towel Rail	1375mm	1390mm	-	CHWREP140S•
Wetroom Stabilising T-Bar Bracket (Available on request)				S-CHWRTB

*650mm Angled Stabilising bar supplied with these panels.

•1050mm Straight Stabiliser bar supplied with these panels.



CHROME STABILISING
BAR



STAINLESS STEEL TOWEL RAIL
OPTION ON END PANEL



T BAR BRACKET

8mm
GLASS
THICKNESS

HEIGHT
2000mm

15mm
PRODUCT
ADJUSTMENT

STAINLESS STEEL
STABILISING
BAR SUPPLIED

ALUMINIUM
FLOOR
PROTECTOR
STRIP

POLISHED
STAINLESS
STEEL
TOWEL RAIL

SUITABLE FOR
WETROOM OR
SHOWER TRAY
INSTALLATION

T
T BAR BRACKET
AVAILABLE



BATHSCREEN COLLECTION

FLAIR OFFERS AN UNRIVALLED
SELECTION OF INNOVATIVE
BATH SCREEN DESIGNS.
FROM SIMPLE CURVED SHAPES
TO MORE ANGULAR DESIGNS
WITH CLEVER SHELF OPTIONS,
THERE IS SOMETHING TO SUIT
EVERY BATHROOM.





FBS SAIL BATHSCREENS

SIZE OPTIONS

PRODUCT DESCRIPTION	SIZE	COLOUR	CODE
Single Panel Sail Bathscreen	1430 x 850mm	Silver	FBS1S
Double Panel Sail Bathscreen	1430 x 1050mm	Silver	FBS2S

6mm
GLASS THICKNESS

25mm
PRODUCT ADJUSTMENT

HEIGHT
1430mm

CLEAN
EASY
COATING

POLISHED
CHROME
TOWEL RAIL

REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION

WATER
DEFLECTOR
ONLY

10 YEAR
GUARANTEE

failSAFE
TECHNOLOGY
SECURE GLASS SYSTEM

PATENTED
FAILSAFE
GLASS
SYSTEM



FBS SQUARE BATHSCREENS

SIZE OPTIONS

PRODUCT DESCRIPTION	SIZE	COLOUR	CODE
Single Panel Square Bathscreen	1430 x 850mm	Silver	FBS3S
Double Panel Square Bathscreen	1430 x 1050mm	Silver	FBS4S
Double Panel Square Bathscreen With Shelves	1430 x 1050mm	Silver	FBS5S



FBS5S - DOUBLE PANEL
SQUARE BATHSCREEN
WITH SHELVES



FBS4S - DOUBLE PANEL
SQUARE BATHSCREEN



FBS3S - SINGLE PANEL
SQUARE BATHSCREEN

GLASS THICKNESS

PRODUCT ADJUSTMENT

HEIGHT 1430mm

fail-safe
TECHNOLOGY
SECURE GLASS SYSTEM

CLEAN EASY
COATING

POLISHED CHROME TOWEL RAIL

REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION

WATER DEFLECTOR ONLY

10 YEAR GUARANTEE

BATHSCREEN SHELVES



SHOWER TRAYS



FLAIR SLIMLINE SHOWER TRAYS



STRONG AND RIGID
CONSTRUCTION

MANUFACTURED TO BRITISH
STANDARD BS6340/5

TOUGH HIGH GLOSS ABS ACRYLIC
CAPPED SURFACE FINISH

EASY-TO-CLEAN AND MAINTAIN

HEIGHT
40mm

SLEEK
LOW PROFILE
DESIGN

90mm
HIGH FLOW
WASTE

**EASY
CLEAN**
FILTER TRAP

SUITABLE FOR
CONVERSION
TO EASY
PLUMB TRAY

SUITABLE FOR
CONVERSION
TO
UPSTAND TRAY

25 YEAR
GUARANTEE

EXTENSIVE SELECTION
OF SHOWER TRAY
SHAPES AND SIZES
TO COMPLEMENT
YOUR BATHROOM.

SHOWER TRAY INSTALLATION

All shower trays must be installed as per instructions supplied. Install on a base of fine sand, cement and cement additive Please note: Silicone sealants, foams, mastics, installation compound adhesive or similar must not be used as a substitute for cement. Ensure shower tray is 100% level and water test to ensure water is draining correctly. If not satisfied at any stage do not proceed with fitting. Fitting of Shower Tray is acceptance of quality.



SLIMLINE RECTANGLE TRAY
INCLUDING SHOWER WASTE



SLIMLINE SQUARE TRAY
INCLUDING SHOWER WASTE



SLIMLINE QUADRANT TRAY
INCLUDING SHOWER WASTE



SLIMLINE OFFSET QUADRANT TRAY
INCLUDING SHOWER WASTE (right hand illustrated)

SLIMLINE SHOWER TRAYS

*ANTI-SLIP
VERSION
AVAILABLE
SOON

SLIMLINE RECTANGLE

PRODUCT DESCRIPTION	CODE
800 x 700mm Slimline Rectangle Tray	TSL8070R
900 x 700mm Slimline Rectangle Tray	TSL9070R
900 x 760mm Slimline Rectangle Tray	TSL9076R
900 x 800mm Slimline Rectangle Tray	TSL9080R
1000 x 700mm Slimline Rectangle Tray	TSL10070R
1000 x 760mm Slimline Rectangle Tray	TSL10076R
1000 x 800mm Slimline Rectangle Tray*	TSL10080R
1000 x 900mm Slimline Rectangle Tray*	TSL10090R
1100 x 700mm Slimline Rectangle Tray	TSL11070R
1100 x 760mm Slimline Rectangle Tray	TSL11076R
1100 x 800mm Slimline Rectangle Tray*	TSL11080R
1100 x 900mm Slimline Rectangle Tray*	TSL11090R
1200 x 700mm Slimline Rectangle Tray*	TSL12070R
1200 x 760mm Slimline Rectangle Tray*	TSL12076R
1200 x 800mm Slimline Rectangle Tray*	TSL12080R
1200 x 900mm Slimline Rectangle Tray*	TSL12090R
1300 x 800mm Slimline Rectangle Tray	TSL13080R
1300 x 900mm Slimline Rectangle Tray	TSL13090R
1400 x 700mm Slimline Rectangle Tray*	TSL14070R
1400 x 800mm Slimline Rectangle Tray*	TSL14080R
1400 x 900mm Slimline Rectangle Tray*	TSL14090R
1500 x 700mm Slimline Rectangle Tray*	TSL15070R
1500 x 760mm Slimline Rectangle Tray*	TSL15076R
1500 x 800mm Slimline Rectangle Tray*	TSL15080R
1500 x 900mm Slimline Rectangle Tray*	TSL15090R
1600 x 700mm Slimline Rectangle Tray*	TSL16070R
1600 x 800mm Slimline Rectangle Tray*	TSL16080R
1600 x 900mm Slimline Rectangle Tray*	TSL16090R
1700 x 700mm Slimline Rectangle Tray*	TSL17070R
1700 x 750mm Slimline Rectangle Tray	TSL17075R
1700 x 800mm Slimline Rectangle Tray*	TSL17080R
1700 x 900mm Slimline Rectangle Tray*	TSL17090R
1800 x 800mm Slimline Rectangle Tray	TSL18080R
1800 x 900mm Slimline Rectangle Tray	TSL18090R
2000 x 900mm Slimline Rectangle Tray	TSL20090R

SLIMLINE SQUARE

PRODUCT DESCRIPTION	CODE
700 x 700mm Slimline Square Tray	TSL70S
760 x 760mm Slimline Square Tray	TSL76S
800 x 800mm Slimline Square Tray*	TSL80S
900 x 900mm Slimline Square Tray*	TSL90S
1000 x 1000mm Slimline Square Tray*	TSL100S
1200 x 1200mm Slimline Square Tray	TSL120S

SLIMLINE QUADRANT

PRODUCT DESCRIPTION	CODE
800 x 800mm Slimline Quadrant Tray*	TSL80Q
900 x 900mm Slimline Quadrant Tray*	TSL90Q
1000 x 1000mm Slimline Quadrant Tray*	TSL100Q


OFFSET QUADRANT

PRODUCT DESCRIPTION	CODE
900 x 800mm Offset Quadrant Tray- Left	TSL9080LOQ
900 x 800mm Offset Quadrant Tray - Right	TSL9080ROQ
1000 x 800mm Offset Quadrant Tray - Left*	TSL10080LOQ
1000 x 800mm Offset Quadrant Tray - Right*	TSL10080ROQ
1000 x 900mm Offset Quadrant Tray - Left*	TSL10090LOQ
1000 x 900mm Offset Quadrant Tray - Right*	TSL10090ROQ
1200 x 800mm Offset Quadrant Tray - Left*	TSL12080LOQ
1200 x 800mm Offset Quadrant Tray - Right*	TSL12080ROQ
1200 x 900mm Offset Quadrant Tray - Left*	TSL12090LOQ
1200 x 900mm Offset Quadrant Tray - Right*	TSL12090ROQ

NEW
NEW



OFFSET QUADRANT
LEFT HAND



OFFSET QUADRANT
RIGHT HAND

SLIMLINE SHOWER TRAYS

WITH TILING UPSTAND

SLIMLINE SQUARE

PRODUCT DESCRIPTION	CODE
Slimline Tray 760mm Square Tray Upstand With Waste	TSL76SU
Slimline Tray 800mm Square Tray Upstand With Waste	TSL80SU
Slimline Tray 900mm Square Tray Upstand With Waste	TSL90SU



SLIMLINE SQUARE TRAY
INCLUDING SHOWER WASTE AND UPSTAND

SLIMLINE RECTANGLE

PRODUCT DESCRIPTION	CODE
Slimline Tray 900 x 760mm Rectangle Tray Upstand With Waste	TSL9076RU
Slimline Tray 1000 x 760mm Rectangle Tray Upstand With Waste	TSL10076RU
Slimline Tray 1000 x 800mm Rectangle Tray Upstand With Waste	TSL10080RU
Slimline Tray 1200 x 760mm Rectangle Tray Upstand With Waste	TSL12076RU
Slimline Tray 1200 x 800mm Rectangle Tray Upstand With Waste	TSL12080RU
Slimline Tray 1200 x 900mm Rectangle Tray Upstand With Waste	TSL12090RU
Slimline Tray 1400 x 900mm Rectangle Tray Upstand With Waste	TSL14090RU
Slimline Tray 1700 x 750mm Rectangle Tray Upstand With Waste	TSL17075RU



SLIMLINE RECTANGLE TRAY
INCLUDING SHOWER WASTE AND UPSTAND


SLIMLINE QUADRANT

PRODUCT DESCRIPTION	CODE
Slimline Tray 800mm Quadrant Upstand With Waste	TSL80QU
Slimline Tray 900mm Quadrant Upstand With Waste	TSL90QU



SLIMLINE QUADRANT TRAY
INCLUDING SHOWER WASTE AND UPSTAND

SLIMLINE TRAY
WITH EASY
PLUMB KIT



FLAIR EASY PLUMB KIT

Flair slimline easy plumb shower kits have adjustable legs to comply with building regulations to assist in installation and for maintenance of waste outlets if required after building settlement.

The Flair slimline easy plumb kit provides this access without compromising on style in the bathroom.

An easy plumb tray can be made by using any of the Flair slimline trays and a kit. This will increase the height of the tray by 95mm.

Accessories are not to scale - for visual representation only.



PRODUCT DESCRIPTION	WEIGHT	CODE
Easy Plumb Riser Kit For All Square Trays & Rectangle Trays (Suitable for maximum tray size of 1200mm)	2kg	WD3
Easy Plumb Riser Kit For All Quadrant Trays (Suitable for maximum tray size of 1200 x 900mm)	3kg	WD4
Easy Plumb Kit For All Square & Rectangle Trays (Up to 2000mm in size)	2kg	WD5
Showerz`Waste	1kg	TSL WASTE

TOTAL HEIGHT
135mm

ADJUSTABLE
LEGS

CONCEALED
FITTINGS

REMOVABLE
FASCIA PANEL





PRODUCT SPECIFICATIONS



OUR PRODUCT SPECIFICATIONS
PROVIDE ALL THE TECHNICAL DETAILS
FOR EACH OF THE FLAIR RANGES.

Can't find the information
you are looking for?
Contact us on sales@flairshowers.com
and we will be happy to help you.

FLAIR FRAMELESS - HEIGHT 1950mm / GLASS THICKNESS 6mm

FLAIR FRAMELESS - CORNER PIVOT DOOR (WETROOM INSTALLATION ONLY WITH KNOB)

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Corner Pivot Doors 800mm	780mm	800mm	640mm	52kg	FFCPD80S
Corner Pivot Doors 900mm	880mm	900mm	740mm	58kg	FFCPD90S
Corner Pivot Doors 1000mm	980mm	1000mm	840mm	62kg	FFCPD100S
Offset Corner Pivot Doors 1000 x 800mm	780-980mm	800-1000mm	640mm	57kg	FFCPD100x80S
Offset Corner Pivot Doors 1200 x 800mm	780-1180mm	800-1200mm	640mm	69kg	FFCPD120x80S
Offset Corner Pivot Doors 1200 x 900mm	880-1180mm	900-1200mm	740mm	72kg	FFCPD120x90S

FLAIR FRAMELESS - CORNER PIVOT DOOR (TRAY INSTALLATION ONLY WITH HANDLE)

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Corner Pivot Doors 800mm	765mm	790mm	640mm	53kg	FFCPD80SC
Corner Pivot Doors 900mm	865mm	890mm	740mm	59kg	FFCPD90SC
Corner Pivot Doors 1000mm	965mm	990mm	840mm	65kg	FFCPD100SC
Offset Corner Pivot Doors 1000 x 800mm	765-965mm	790-990mm	640mm	58kg	FFCPD100X80SC
Offset Corner Pivot Doors 1200 x 800mm	765-1165mm	790-1190mm	640mm	70kg	FFCPD120X80SC
Offset Corner Pivot Doors 1200 x 900mm	865-1165mm	890-1190mm	740mm	73kg	FFCPD120X90SC

FLAIR FRAMELESS - PIVOT DOOR

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Pivot Door 700mm	650mm	700mm	514mm	25kg	FFPD70SC
Pivot Door 800mm	750mm	800mm	614mm	28kg	FFPD80SC
Pivot Door 900mm	850mm	900mm	714mm	31kg	FFPD90SC
Pivot Door 1000mm	950mm	1000mm	814mm	34kg	FFPD100SC

FLAIR FRAMELESS - SALOON DOOR

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Saloon Door 800mm	750mm	800mm	640mm	27kg	FFSD80SC
Saloon Door 900mm	850mm	900mm	740mm	29kg	FFSD90SC
Saloon Door 1000mm	950mm	1000mm	840mm	32kg	FFSD100SC
Saloon Door 1200mm	1150mm	1200mm	1040mm	37.5kg	FFSD120SC

FLAIR FRAMELESS - INLINE PANEL

PRODUCT DESCRIPTION	WEIGHT	CODE
Inline Panel 200mm	9kg	FFIL20SC
Inline Panel 300mm	12kg	FFIL30SC
Inline Panel 400mm	15kg	FFIL40SC
Inline Panel 200mm With 3 Shelves	13kg	FFILS20SC
Inline Panel 300mm With 3 Shelves	16kg	FFILS30SC
Inline Panel 400mm With 3 Shelves	19kg	FFILS40SC

FLAIR FRAMELESS - SIDE PANEL

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		WEIGHT	CODE
	MIN	MAX		
Side Panel 700mm	665mm	690mm	27kg	FFSP70SC
Side Panel 800mm	765mm	790mm	30kg	FFSP80SC
Side Panel 900mm	865mm	890mm	33kg	FFSP90SC
Side Panel 1000mm	965mm	990mm	36kg	FFSP100SC
Side Panel 1200mm	1165mm	1190mm	40kg	FFSP120SC

NEW - FLAIR FRAMELESS - CURVED HINGED WETROOM PANELS

PRODUCT DESCRIPTION	WEIGHT	CODE
Flair Frameless Curved Hinged Wetroom Panel 900mm - Polished Chrome With Clear Glass	35kg	FFCRR90SC
Flair Frameless Curved Hinged Wetroom Panel 900mm - Matte Black With Smoked Grey Glass	35kg	FFCRR90BG

NEW - FLAIR FRAMELESS - HINGED ROTATING WETROOM PANELS

PRODUCT DESCRIPTION	WEIGHT	CODE
Flair Frameless Hinged rotating Wetroom Panel 300mm	14kg	FFPD30SC
Flair Frameless Hinged rotating Wetroom Panel 450mm	18kg	FFPD45SC
Flair Frameless Hinged rotating Wetroom Panel 600mm	23kg	FFPD60SC

FLAIR FRAMELESS - OTHER

PRODUCT DESCRIPTION	WEIGHT	CODE
Compensating Bar 10mm	0.7kg	FFCB10SC
Compensating Bar 25mm	1kg	FFCB25SC

FLAIR FRAMELESS
COLOURED - HEIGHT 1950mm / GLASS THICKNESS 6mm

FLAIR FRAMELESS - SATIN CHROME FINISH WITH OPAQUE GLASS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Saloon Door 800mm	750mm	800mm	640mm	26kg	FFSD80MP
Saloon Door 900mm	850mm	900mm	740mm	29kg	FFSD90MP
Pivot Door 800mm LEFT HAND	750mm	800mm	640mm	26kg	FFPD80LMP
Pivot Door 800mm RIGHT HAND	750mm	800mm	640mm	26kg	FFPD80RMP
Pivot Door 900mm LEFT HAND	850mm	900mm	740mm	29kg	FFPD90LMP
Pivot Door 900mm RIGHT HAND	850mm	900mm	740mm	29kg	FFPD90RMP
Side Panel 800mm	765mm	790mm		28kg	FFSP80MP
Side Panel 900mm	865mm	890mm		30kg	FFSP90MP
Flair Frameless Inline Panel 200mm				12kg	FFIL20MP
Flair Frameless Inline Panel 300mm				14kg	FFIL30MP
Flair Frameless Inline Panel 400mm				16kg	FFIL40MP
Flair Frameless Satin Chrome Angled Stabilising Bar 350mm				0.5kg	S-FFSB35MP
Flair Frameless Satin Chrome Angled Stabilising Bar 650mm				0.7kg	S-FFASB65MP
Flair Frameless Satin Chrome Straight Stabilising Bar 1200mm				1kg	S-FFSB120MP
Flair Frameless Satin Chrome Compensating Bar 10mm				0.7kg	FFCB10MP
Flair Frameless Satin Chrome Compensating Bar 25mm				1kg	FFCB25MP

FLAIR FRAMELESS - MATTE BLACK WITH SMOKED GREY GLASS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Flair Frameless Saloon Door 800mm	750mm	800mm	640mm	26kg	FFSD80BG
Flair Frameless Saloon Door 900mm	850mm	900mm	740mm	29kg	FFSD90BG
Flair Frameless Pivot Door 800mm	750mm	800mm	640mm	26kg	FFPD80BG
Flair Frameless Pivot Door 900mm	850mm	900mm	740mm	29kg	FFPD90BG
Flair Frameless Side Panel 800mm	765mm	790mm		28kg	FFSP80BG
Flair Frameless Side Panel 900mm	865mm	890mm		30kg	FFSP90BG
Flair Frameless Inline Panel 200mm				12kg	FFIL20BG
Flair Frameless Inline Panel 300mm				14kg	FFIL30BG
Flair Frameless Inline Panel 400mm				16kg	FFIL40BG
Flair Frameless Matte Black Angled Stabilising Bar 350mm				0.5kg	S-FFSB35BG
Flair Frameless Matte Black Angled Stabilising Bar 650mm				0.7kg	S-FFASB65BG
Flair Frameless Matte Black Straight Stabilising Bar 1200mm				1kg	S-FFSB120BG
Flair Frameless Matte Black Compensating Bar 10mm				0.7kg	FFCB10BG
Flair Frameless Matte Black Compensating Bar 25mm				1kg	FFCB25BG



RIGHT HAND SATIN CHROME PIVOT DOOR AND
1 INLINE PANEL WITH OPAQUE GLASS



MATTE BLACK SALOON DOORS AND SIDE PANEL WITH SMOKED GREY GLASS
(SHOWN WITH ADDITIONAL SUPPORT STRAIGHT STABILISER BAR)

NAMARA - HEIGHT 1900mm / GLASS THICKNESS UP TO 8mm

NAMARA - HINGE DOOR AND INLINE PANEL

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Hinge Door 800mm	750mm	800mm	615mm	32kg	KHD80S
Hinge Door 900mm	850mm	900mm	715mm	36kg	KHD90S
Hinge Door 1000mm	950mm	1000mm	815mm	40kg	KHD100S
Hinge Door & Inline Panel 1100mm	1050mm	1100mm	725mm	47.5kg	KHD110S
Hinge Door & Inline Panel 1200mm	1150mm	1200mm	725mm	50.5kg	KHD120S
Hinge Door & Inline Panel 1400mm	1350mm	1400mm	725mm	59.5kg	KHD140S
Hinge Door & Inline Panel 1600mm	1550mm	1600mm	725mm	67.5kg	KHD160S

NAMARA - ONE DOOR QUADRANT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
One Door Quadrant 900mm	870mm	895mm	470mm	58.5kg	KOCQ90S
One Door Quadrant 1000mm	970mm	995mm	510mm	65.5kg	KOCQ100S

NAMARA - ONE DOOR OFFSET QUADRANT LONG SIDE OPENING

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
One Door Offset Quadrant 1000 x 800mm Long Side Opening	770-970mm	795-995mm	500mm	58kg	KOCQ100x80SL
One Door Offset Quadrant 1200 x 800mm Long Side Opening	770-1170mm	795-1195mm	500mm	65kg	KOCQ120x80SL
One Door Offset Quadrant 1200 x 900mm Long Side Opening	870-1170mm	895-1195mm	500mm	68kg	KOCQ120x90SL

NAMARA - BI-FOLD DOORS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Bi-fold Door 800mm	750mm	800mm	486mm	34kg	KBF80S
Bi-fold Door 900mm	850mm	900mm	606mm	38kg	KBF90S
Bi-fold Door 1000mm	950mm	1000mm	694mm	42kg	KBF100S
Bi-fold Door 1200mm	1150mm	1200mm	694mm	49kg	KBF120S

NAMARA - CORNER ENTRY

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Corner Entry 800mm	770mm	795mm	423mm	63.5kg	KICE80S
Corner Entry 900mm	870mm	895mm	494mm	72kg	KICE90S

NAMARA - CENTRAL OPENING DOUBLE DOOR SLIDER

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Central Opening Double Slider Door 1400mm	1350mm	1400mm	540mm	57kg	KSADD140S
Central Opening Double Slider Door 1500mm	1450mm	1500mm	590mm	62kg	KSADD150S
Central Opening Double Slider Door 1600mm	1550mm	1600mm	640mm	66kg	KSADD160S
Central Opening Double Slider Door 1700mm	1650mm	1700mm	690mm	72kg	KSADD170S
Central Opening Double Slider Door 1800mm	1750mm	1800mm	740mm	75kg	KSADD180S

NAMARA - SLIDER

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Slider 1000mm	950mm	1000mm	385mm	44kg	KSA100S
Slider 1100mm	1050mm	1100mm	435mm	46.5kg	KSA110S
Slider 1200mm	1150mm	1200mm	485mm	51.5kg	KSA120S
Slider 1400mm	1350mm	1400mm	585mm	60.5kg	KSA140S
Slider 1500mm	1450mm	1500mm	635mm	64.5kg	KSA150S
Slider 1600mm	1550mm	1600mm	685mm	68.5kg	KSA160S
Slider 1700mm	1650mm	1700mm	685mm	73kg	KSA170S
Slider 1800mm	1750mm	1800mm	685mm	77kg	KSA180S

NAMARA - FRAMED SIDE PANEL

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		WEIGHT	CODE
	MIN	MAX		
Framed Side Panel 700mm	660mm	685mm	17kg	KSP70S
Framed Side Panel 760mm	720mm	745mm	18kg	KSP76S
Framed Side Panel 800mm	760mm	785mm	19kg	KSP80S
Framed Side Panel 900mm	860mm	885mm	22kg	KSP90S

NAMARA - FRAMELESS SIDE PANEL

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		WEIGHT	CODE
	MIN	MAX		
Frameless Side Panel 700mm	665mm	690mm	28.5kg	KUFSP70S
Frameless Side Panel 760mm	725mm	750mm	31kg	KUFSP76S
Frameless Side Panel 800mm	765mm	790mm	32.5kg	KUFSP80S
Frameless Side Panel 900mm	865mm	890mm	36.5kg	KUFSP90S
Frameless Side Panel 1000mm	965mm	990mm	41kg	KUFSP100S
Frameless Side Panel 1200mm	1165mm	1190mm	49.5kg	KUFSP120S

NAMARA - OTHER

PRODUCT DESCRIPTION	WEIGHT	CODE
Compensating Bar 25mm	1kg	KCB25S

SLIMLINE CAPELLA - HEIGHT 1900mm / GLASS THICKNESS 6mm

SLIMLINE CAPELLA - PIVOT DOORS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Pivot Door 800mm	700mm	800mm	430mm	27kg	SCTPD80S
Pivot Door 900mm	800mm	900mm	530mm	30kg	SCTPD90S
Pivot Door 1000mm	900mm	1000mm	630mm	33kg	SCTPD100S
Pivot Door 1200mm	1100mm	1500mm	630mm	39kg	SCTPD120S

SLIMLINE CAPELLA - SLIDER DOOR

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Slider Door 1000mm	940mm	1000mm	380mm	31kg	SCTSA100S
Slider Door 1100mm	1040mm	1100mm	430mm	34kg	SCTSA110S
Slider Door 1200mm	1140mm	1200mm	470mm	37kg	SCTSA120S
Slider Door 1300mm	1200mm	1300mm	490mm	40kg	SCTSA130S
Slider Door 1400mm	1300mm	1400mm	540mm	43kg	SCTSA140S
Slider Door 1500mm	1400mm	1500mm	590mm	46kg	SCTSA150S

SLIMLINE CAPELLA - CORNER ENTRY

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Corner Entry 700mm	650mm	700mm	328mm	44.5kg	SCTCE70S
Corner Entry 800mm	740mm	800mm	385mm	50.5kg	SCTCE80S
Corner Entry 900mm	840mm	900mm	456mm	56.5kg	SCTCE90S
Corner Entry 1000mm	940mm	1000mm	528mm	62.5kg	SCTCE100S
Corner Entry 1200mm	1140mm	1200mm	528mm	65kg	SCTCE120S

SLIMLINE CAPELLA - OFFSET CORNER ENTRY

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Offset Corner Entry 700 x 900mm	650-700mm	840-900mm	370mm	50.5kg	SCTCE70x90S
Offset Corner Entry 700 x 1000mm	650-700mm	940-1000mm	407mm	53.5kg	SCTCE70x100S
Offset Corner Entry 700 x 1200mm	650-700mm	1140-1200mm	428mm	59.5kg	SCTCE70x120S
Offset Corner Entry 800 x 900mm	740-800mm	840-900mm	405mm	53.5kg	SCTCE80x90S
Offset Corner Entry 800 x 1000mm	740-800mm	940-1000mm	442mm	56.5kg	SCTCE80x100S
Offset Corner Entry 800 x 1200mm	740-800mm	1140-1200mm	462mm	56.5kg	SCTCE80x120S
Offset Corner Entry 900 x 1000mm	840-900mm	940-1000mm	493mm	59.5kg	SCTCE90x100S
Offset Corner Entry 900 x 1200mm	840-900mm	1140-1200mm	493mm	59.5kg	SCTCE90x120S

SLIMLINE CAPELLA - BI-FOLD DOOR

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Bi-Fold Door 700mm	630mm	700mm	370mm	26kg	SCTBF70S
Bi-Fold Door 800mm	730mm	800mm	440mm	30kg	SCTBF80S
Bi-Fold Door 900mm	800mm	900mm	510mm	34kg	SCTBF90S
Bi-Fold Door 1000mm	900mm	1000mm	610mm	38kg	SCTBF100S
Bi-Fold Door 1100mm	1000mm	1100mm	610mm	42kg	SCTBF110S
Bi-Fold Door 1200mm	1100mm	1200mm	610mm	46kg	SCTBF120S

SLIMLINE CAPELLA - 2 DOOR QUADRANT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Curved Quadrant 800mm	750mm	800mm	385mm	41.5kg	SCTCQ80S
Curved Quadrant 900mm	850mm	900mm	525mm	45kg	SCTCQ90S
Curved Quadrant 1000mm	950mm	1000mm	525mm	53.5kg	SCTCQ100S

SLIMLINE CAPELLA - 2 DOOR OFFSET QUADRANT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Offset Curved Quadrant 800 x 900mm	750-800mm	850-900mm	460mm	44.5kg	SCTCQ80x90S
Offset Curved Quadrant 800 x 1000mm	750-800mm	950-1000mm	460mm	52.5kg	SCTCQ80x100S
Offset Curved Quadrant 800 x 1200mm	750-800mm	1150-1200mm	460mm	55.5kg	SCTCQ80x120S
Offset Curved Quadrant 900 x 1200mm	850-900mm	1150-1200mm	525mm	57.5kg	SCTCQ90x120S

SLIMLINE CAPELLA - FRAMELESS SIDE PANEL

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		WEIGHT	CODE
	MIN	MAX		
Side Panel 700mm	670mm	690mm	22kg	SCTSP70S
Side Panel 760mm	730mm	750mm	23.5kg	SCTSP76S
Side Panel 800mm	770mm	790mm	25kg	SCTSP80S
Side Panel 900mm	870mm	890mm	28kg	SCTSP90S
Side Panel 1000mm	970mm	990mm	31kg	SCTSP100S
Side Panel 1100mm	1070mm	1090mm	34kg	SCTSP110S
Side Panel 1200mm	1170mm	1190mm	37kg	SCTSP120S

SLIMLINE CAPELLA - OTHER

PRODUCT DESCRIPTION	WEIGHT	CODE
Compensating Bar 25mm	N/A	SCTPACKDS

CHIANTI - HEIGHT 1900mm / GLASS THICKNESS 6mm

CHIANTI - HINGED QUADRANT AND HINGED OFFSET QUADRANT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Hinged Quadrant 900mm	870mm	900mm	570mm	48kg	CHHQ90S
Hinged Quadrant 1000mm	970mm	1000mm	570mm	55.5kg	CHHQ100S
Hinged Quadrant 800 x 1000mm	770-800mm	970-1000mm	570mm	49.5kg	CHHQ80x100S
Hinged Quadrant 800 x 1200mm	770-800mm	1170-1200mm	570mm	55.5kg	CHHQ80x120S
Hinged Quadrant 900 x 1200mm	870-900mm	1170-1200mm	570mm	58.5kg	CHHQ90x120S

CHIANTI - CENTRAL OPENING ONE DOOR QUADRANT (CHCOQ)

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
1 Door Quadrant 900mm	870mm	900mm	490mm	47kg	CHCOQ90S
1 Door Offset Quadrant 1000 x 800mm	770-800mm	970-1000mm	510mm	51kg	CHCOQ80x100S
1 Door Offset Quadrant 1200 x 800mm	770-800mm	1170-1200mm	520mm	57.5kg	CHCOQ80x120S
1 Door Offset Quadrant 1200 x 900mm	870-900mm	1170-1200mm	520mm	59.5kg	CHCOQ90x120S

CHIANTI - ONE DOOR QUADRANT (CH1CQ)

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
1 Door Quadrant 900mm	870mm	900mm	590mm	48kg	CH1CQ900S
1 Door Quadrant 1000mm	970mm	1000mm	590mm	53kg	CH1CQ100S
1 Door Offset Quadrant 1000 x 800mm	770-970mm	800-1000mm	510mm	51kg	CH1CQ80x100S
1 Door Offset Quadrant 1200 x 800mm	770-1170mm	800-1200mm	510mm	57kg	CH1CQ80x120S
1 Door Offset Quadrant 1200 x 900mm	870-1170mm	900-1200mm	510mm	60kg	CH1CQ90x120S

CHIANTI - HINGED DOOR

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Hinged Door 760mm	702mm	760mm	570mm	25kg	CHHD76S
Hinged Door 800mm	742mm	800mm	610mm	28kg	CHHD80S
Hinged Door 900mm	842mm	900mm	710mm	32kg	CHHD90S
Hinged Door 1000mm	942mm	1000mm	810mm	32kg	CHHD100S

CHIANTI - SLIDER DOOR

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Slider Door 1100mm	1043mm	1100mm	430mm	36kg	CHSA110S
Slider Door 1200mm	1143mm	1200mm	480mm	39.5kg	CHSA120S

CHIANTI - BI-FOLD DOORS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Bi-fold Door 760mm	700mm	760mm	430mm	21.5kg	CHBF76S
Bi-fold Door 800mm	740mm	800mm	460mm	23kg	CHBF80S
Bi-fold Door 900mm	840mm	900mm	540mm	25kg	CHBF90S
Bi-fold Door 1000mm	940mm	1000mm	620mm	27kg	CHBF100S
Bi-fold Door 1100mm	1040mm	1100mm	660mm	29kg	CHBF110S

CHIANTI - CURVED QUADRANT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Curved Quadrant 800mm	770mm	800mm	410mm	40kg	CHCQ80S
Curved Quadrant 900mm	870mm	900mm	540mm	45kg	CHCQ90S
Curved Quadrant 1000mm	970mm	1000mm	540mm	50kg	CHCQ100S

CHIANTI - OFFSET QUADRANT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Offset Curved Quadrant 800 x 1000mm	770-970mm	800-100mm	475mm	51kg	CHCQ80x100S
Offset Curved Quadrant 800 x 1200mm	770-1170mm	800-1200mm	475mm	57kg	CHCQ80x120S
Offset Curved Quadrant 900 x 1200mm	870-1170mm	900-1200mm	540mm	60kg	CHCQ90x120S

CHIANTI - CORNER ENTRY

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Corner Entry 800mm	770mm	800mm	420mm	51kg	CHCE80S
Corner Entry 900mm	870mm	900mm	460mm	57kg	CHCE90S

CHIANTI - FRAMELESS SIDE PANEL

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		WEIGHT	CODE
	MIN	MAX		
Frameless Side Panel 700mm	660mm	690mm	22kg	CHSP70S
Frameless Side Panel 760mm	720mm	7500mm	23kg	CHSP76S
Frameless Side Panel 800mm	760mm	790mm	25kg	CHSP80S
Frameless Side Panel 900mm	860mm	890mm	28kg	CHSP90S
Frameless Side Panel 1000mm	960mm	990mm	31.5kg	CHSP100S

CHIANTI - OTHER

PRODUCT DESCRIPTION			WEIGHT	CODE
Additional 30mm Wall Profile			1kg	CHCB30S

NEW - SPECIAL HEIGHT CHIANTI - GLASS THICKNESS 6mm

CHIANTI - SPECIAL HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Curved Quadrant 900mm - Special Height 1750mm	870mm	900mm	540mm	-	CHCQ90175S
Chianti Bi-Fold Door 800mm - Special Height 1800mm	740mm	800mm	460mm	-	B-CHBF80S
Chianti Bi-Fold Door 900mm - Special Height 1800mm	840mm	900mm	540mm	-	B-CHBF90S
Chianti Corner Entry 800mm - Special Height 1800mm	770mm	800mm	420mm	-	B-CHCE80S
Chianti Corner Entry 900mm - Special Height 1800mm	870mm	900mm	460mm	-	B-CHCE90S
Chianti Hinged Door 800mm - Special Height 1800mm	742mm	800mm	610mm	-	B-CHHD80S
Chianti Hinged Door 900mm - Special Height 1800mm	842mm	900mm	710mm	-	B-CHHD90S
Chianti Slider Door 1200mm - Special Height 1800mm	1143mm	1200mm	480mm	-	B-CHSA120S
Chianti Frameless Side panel 800mm - Special Height 1800mm	760mm	790mm	-	-	B-CHSP80S
Chianti Frameless Side panel 900mm - Special Height 1800mm	860mm	890mm	-	-	B-CHSP90S
Chianti Frameless Side panel 1000mm - Special Height 1800mm	960mm	990mm	-	-	B-CHSP100S



CHIANTI WETROOM

HEIGHT 2000mm / GLASS THICKNESS 8mm



CHIANTI WETROOM - PANELS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Chianti Wetroom Panel 300mm	275mm	290mm	1050mm	14.5kg	CHWR30S
Chianti Wetroom Panel 450mm	425mm	440mm	1050mm	21kg	CHWR45S
Chianti Wetroom Panel 500mm	475mm	490mm	1050mm	23kg	CHWR50S
Chianti Wetroom Panel 600mm	575mm	590mm	1050mm	27.5kg	CHWR60S
Chianti Wetroom Panel 700mm	675mm	690mm	1050mm	31.5kg	CHWR70S
Chianti Wetroom Panel 760mm	735mm	750mm	1050mm	34kg	CHWR76S
Chianti Wetroom Panel 800mm	775mm	790mm	1050mm	36kg	CHWR80S
Chianti Wetroom Panel 900mm	875mm	890mm	1050mm	41kg	CHWR90S
Chianti Wetroom Panel 1000mm	975mm	990mm	1050mm	46kg	CHWR100S
Chianti Wetroom Panel 1100mm	1075mm	1090mm	1050mm	52kg	CHWR110S
Chianti Wetroom Panel 1200mm	1175mm	1190mm	1050mm	57kg	CHWR120S
Chianti Wetroom Panel 1400mm	1375mm	1390mm	1050mm	67.5kg	CHWR140S
Chianti Wetroom panel 1500mm	1475mm	1490mm	1050mm	70.5kg	CHWR150S
Chianti Wetroom panel 1600mm	1575mm	1590mm	1050mm	71kg	CHWR160S
Chianti Wetroom panel 1800mm	1775mm	1790mm	1050mm	84kg	CHWR180S
Chianti Double Entry Wetroom Screen	-	-	1050mm	62kg	CHWRDE120S

CHIANTI WETROOM - RETURN PANELS

PRODUCT DESCRIPTION	WEIGHT	CODE
Fixed Wetroom Return Panel 300mm	13.5kg	WRFP30S
Fixed Wetroom Return Panel 450mm	20.5kg	WRFP45S
Rotating Wetroom Return Panel 300mm	15.5kg	WRRP30S
Rotating Wetroom Return Panel 450mm	22kg	WRRP45S

CHIANTI WETROOM - END PANEL

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
End Panel 700mm (Includes Towel Rail)	675mm	690mm	1050mm	34kg	CHWREP70S
End Panel 800mm (Includes Towel Rail)	775mm	790mm	1050mm	38.5kg	CHWREP80S
End Panel 900mm (Includes Towel Rail)	875mm	890mm	1050mm	41.5kg	CHWREP90S
End Panel 1000mm (Includes Towel Rail)	975mm	990mm	1050mm	46.5	CHWREP100S
End Panel 1200mm (Includes Towel Rail)	1175mm	1190mm	1050mm	58.5kg	CHWREP120S
End Panel 1400mm (Includes Towel Rail)	1375mm	1390mm	1050mm	68kg	CHWREP140S

CHIANTI WETROOM - OPAQUE CENTRE PIECE

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Chianti Wetroom Panel 900mm - Opaque Centrepiece	875mm	890mm	1050mm	41kg	CHWR90SP
Chianti Wetroom Panel 1000mm - Opaque Centrepiece	975mm	990mm	1050mm	46kg	CHWR100SP
Chianti Wetroom Panel 1200mm - Opaque Centrepiece	1175mm	1190mm	1050mm	57kg	CHWR120SP
Chianti Wetroom Panel 1400mm - Opaque Centrepiece	1375mm	1390mm	1050mm	67.5kg	CHWR140SP
Chianti End Panel 800mm Opaque Centrepiece (Includes Towel Rail)	775mm	790mm	1050mm	40.5kg	CHWREP80SP
Chianti End Panel 900mm Opaque Centrepiece (Includes Towel Rail)	875mm	890mm	1050mm	41.5kg	CHWREP90SP
Chianti End Panel 1000mm Opaque Centrepiece (Includes Towel Rail)	975mm	990mm	1050mm	46.5	CHWREP100SP
Chianti End Panel 1200mm Opaque Centrepiece (Includes Towel Rail)	1175mm	1190mm	1050mm	58.5kg	CHWREP120SP
Chianti End Panel 1400mm Opaque Centrepiece (Includes Towel Rail)	1375mm	1390mm	1050mm	68kg	CHWREP140SP

CHIANTI WETROOM - STABILISING BARS

PRODUCT DESCRIPTION	WEIGHT	CODE
Chianti 1400mm Stabilising Bar	1kg	S-CHSBI400S
Chianti 650mm Angled Stabilising Bar	0.7kg	S-CHWRASB
Chianti 1050mm Stabilising Bar	0.7kg	S-CHWRSSB
Wetroom Stabilising T-Bar Bracket	0.12kg	S-HWRTB

CHIANTI CONTRACT WETROOM

HEIGHT 1900mm / GLASS THICKNESS 8mm

CHIANTI - CONTRACT WETROOM SCREENS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Contract 800mm Wetroom Panel	775mm	790mm	1050mm	34kg	CHWR80S-CONT
Contract 900mm Wetroom Panel	875mm	890mm	1050mm	38.5kg	CHWR90S-CONT
Contract 1000mm Wetroom Panel	975mm	990mm	1050mm	42.5kg	CHWR100S-CONT

BATHSCREENS

FBS SAIL BATHSCREENS

PRODUCT DESCRIPTION	SIZE	COLOUR	CODE
6mm Single Panel Sail Bathscreen	1430 x 850mm	Silver	FBS1S
6mm Double Panel Sail Bathscreen	1430 x 1050mm	Silver	FBS2S

FBS SQUARE BATHSCREENS

PRODUCT DESCRIPTION	SIZE	COLOUR	CODE
6mm Single Panel Square Bathscreen	1430 x 850mm	Silver	FBS3S
6mm Double Panel Square Bathscreen	1430 x 1050mm	Silver	FBS4S
6mm Double Panel Square Bathscreen With Shelves	1430 x 1050mm	Silver	FBS5S

BATHSCREENS

PRODUCT DESCRIPTION	SIZE	COLOUR	CODE
4 Panel Bathscreen Silver	1400 x 800mm	Silver	PBSG4S
4 Panel Bathscreen White	1400 x 800mm	White	PBSG4W
5 Panel Bathscreen Silver	1400 x 1000mm	Silver	PBSG5S
5 Panel Bathscreen White	1400 x 1000mm	White	PBSG5W
Hydro Curved Bathscreen - Silver	1360 x 850mm	Silver	HBSG11S
Hydro Curved Bathscreen - White	1360 x 850mm	White	HBSG11W


DEFLECTOR BATH PANELS

PRODUCT DESCRIPTION	SIZE	COLOUR	CODE
Deflector Bath Screen 300mm	1430 x 300mm	Silver	FBSG30SC

BATH PANELS

PRODUCT DESCRIPTION	SIZE	COLOUR	CODE
Bath Panel Front	1700 x 533mm	White	BP5FWH
Bath Panel End	711 x 533mm	White	BP5EWH

Note: (Minimum order quantity on bath panels)



FBS4S - DOUBLE PANEL
SQUARE BATH SCREEN




FBS2S - DOUBLE PANEL
SAIL BATH SCREEN

SLIMLINE SHOWER TRAYS - HEIGHT 40mm (INCLUDING WASTE)



RECTANGLE

PRODUCT DESCRIPTION	WEIGHT	CODE
800 x 700mm Slimline Rectangle Tray	19kg	TSL8070R
900 x 700mm Slimline Rectangle Tray	20kg	TSL9070R
900 x 760mm Slimline Rectangle Tray	21kg	TSL9076R
900 x 800mm Slimline Rectangle Tray	24kg	TSL9080R
1000 x 700mm Slimline Rectangle Tray	23kg	TSL10070R
1000 x 760mm Slimline Rectangle Tray	22kg	TSL10076R
1000 x 800mm Slimline Rectangle Tray*	27kg	TSL10080R
1000 x 900mm Slimline Rectangle Tray*	28kg	TSL10090R
1100 x 700mm Slimline Rectangle Tray	25kg	TSL11070R
1100 x 760mm Slimline Rectangle Tray	26kg	TSL11076R
1100 x 800mm Slimline Rectangle Tray*	27kg	TSL11080R
1100 x 900mm Slimline Rectangle Tray*	31kg	TSL11090R
1200 x 700mm Slimline Rectangle Tray*	26kg	TSL12070R
1200 x 760mm Slimline Rectangle Tray*	35kg	TSL12076R
1200 x 800mm Slimline Rectangle Tray*	30kg	TSL12080R
1200 x 900mm Slimline Rectangle Tray*	33kg	TSL12090R
1300 x 800mm Slimline Rectangle Tray	35kg	TSL13080R
1300 x 900mm Slimline Rectangle Tray	36kg	TSL13090R
1400 x 700mm Slimline Rectangle Tray*	30kg	TSL14070R
1400 x 800mm Slimline Rectangle Tray*	35kg	TSL14080R
1400 x 900mm Slimline Rectangle Tray*	39kg	TSL14090R
1500 x 700mm Slimline Rectangle Tray*	33kg	TSL15070R
1500 x 760mm Slimline Rectangle Tray	35kg	TSL15076R
1500 x 800mm Slimline Rectangle Tray*	37kg	TSL15080R
1500 x 900mm Slimline Rectangle Tray*	42kg	TSL15090R
1600 x 700mm Slimline Rectangle Tray*	44kg	TSL16070R
1600 x 800mm Slimline Rectangle Tray*	44kg	TSL16080R
1600 x 900mm Slimline Rectangle Tray*	45kg	TSL16090R
1700 x 700mm Slimline Rectangle Tray*	41kg	TSL17070R
1700 x 750mm Slimline Rectangle Tray	42kg	TSL17075R
1700 x 800mm Slimline Rectangle Tray*	45kg	TSL17080R
1700 x 900mm Slimline Rectangle Tray*	49kg	TSL17090R
1800 x 800mm Slimline Rectangle Tray	45kg	TSL18080R
1800 x 900mm Slimline Rectangle Tray	50kg	TSL18090R
2000 x 900mm Slimline Rectangle Tray	54kg	TSL20090R



SLIMLINE RECTANGLE SHOWER TRAY WITH EASY PLUMB KIT



SQUARE

PRODUCT DESCRIPTION	WEIGHT	CODE
700 x 700mm Slimline Square Tray	15kg	TSL70S
760 x 760mm Slimline Square Tray	20kg	TSL76S
800 x 800mm Slimline Square Tray*	20kg	TSL80S
900 x 900mm Slimline Square Tray*	28kg	TSL90S
1000 x 1000mm Slimline Square Tray*	32kg	TSL100S
1200 x 1200mm Slimline Square Tray	35kg	TSL120S

QUADRANT

PRODUCT DESCRIPTION	WEIGHT	CODE
800 x 800mm Slimline Quadrant Tray*	25kg	TSL80Q
900 x 900mm Slimline Quadrant Tray*	39kg	TSL90Q
1000 x 1000mm Slimline Quadrant Tray*	40kg	TSL100Q

OFFSET QUADRANT

PRODUCT DESCRIPTION	WEIGHT	CODE
900 x 800mm Offset Quadrant Tray- Left	20kg	TSL9080LOQ
900 x 800mm Offset Quadrant Tray - Right	20kg	TSL9080ROQ
1000 x 800mm Offset Quadrant Tray - Left*	32kg	TSL10080LOQ
1000 x 800mm Offset Quadrant Tray - Right*	32kg	TSL10080ROQ
1000 x 900mm Offset Quadrant Tray - Left* NEW	32kg	TSL10090LOQ
1000 x 900mm Offset Quadrant Tray - Right* NEW	32kg	TSL10090ROQ
1200 x 800mm Offset Quadrant Tray - Left*	43kg	TSL12080LOQ
1200 x 800mm Offset Quadrant Tray - Right*	43kg	TSL12080ROQ
1200 x 900mm Offset Quadrant Tray - Left*	47kg	TSL12090LOQ
1200 x 900mm Offset Quadrant Tray - Right*	47kg	TSL12090ROQ

Note: Convert slimline shower trays to Easy Plumb with the addition of an Easy Plumb Kit.

MISCELLANEOUS

PRODUCT DESCRIPTION	WEIGHT	CODE
Easy Plumb Riser Kit For All Square Trays & Rectangle Trays (Suitable for maximum tray size of 1200mm)	2kg	WD3
Easy Plumb Riser Kit For All Quadrant Trays (Suitable for maximum tray size of 1200 x 900mm)	3kg	WD4
Easy Plumb Kit For Square & Rectangle Trays (Up to 2000mm in size)	2kg	WD5
Shower Waste	1kg	TSLWASTE

SLIMLINE SHOWER TRAYS WITH TILING UPSTAND

SQUARE

PRODUCT DESCRIPTION	WEIGHT	CODE
Slimline Tray 760mm Square Tray Upstand With Waste	20kg	TSL76SU
Slimline Tray 800mm Square Tray Upstand With Waste	20kg	TSL80SU
Slimline Tray 900mm Square Tray Upstand With Waste	28kg	TSL90SU

RECTANGLE

PRODUCT DESCRIPTION	WEIGHT	CODE
Slimline Tray 900 x 760mm Rectangle Tray Upstand With Waste	21kg	TSL9076RU
Slimline Tray 1000 x 760mm Rectangle Tray Upstand With Waste	22kg	TSL10076RU
Slimline Tray 1000 x 800mm Rectangle Tray Upstand With Waste	27kg	TSL10080RU
Slimline Tray 1200 x 760mm Rectangle Tray Upstand With Waste	30kg	TSL12076RU
Slimline Tray 1200 x 800mm Rectangle Tray Upstand With Waste	35kg	TSL12080RU
Slimline Tray 1200 x 900mm Rectangle Tray Upstand With Waste	33kg	TSL12090RU
Slimline Tray 1400 x 900mm Rectangle Tray Upstand With Waste	39kg	TSL14090RU
Slimline Tray 1700 x 750mm Rectangle Tray Upstand With Waste	42kg	TSL17075RU

QUADRANT

PRODUCT DESCRIPTION	WEIGHT	CODE
Slimline Tray 800mm Quadrant Upstand With Waste	20kg	TSL80QU
Slimline Tray 900mm Quadrant Upstand With Waste	28kg	TSL90QU



SLIMLINE SQUARE TRAY
INCLUDING SHOWER WASTE AND UPSTAND



SLIMLINE RECTANGLE TRAY
INCLUDING SHOWER WASTE AND UPSTAND




SLIMLINE QUADRANT TRAY
INCLUDING SHOWER WASTE AND UPSTAND

INSTALLATION GUIDE

SHOWER DOOR STYLES - DESIGNED TO FIT YOUR SPACE



SLIDER DOOR



OFFSET QUADRANT
(RIGHT HAND ILLUSTRATED)



QUADRANT



CORNER ENTRY



PIVOT DOOR



BI-FOLD DOOR



MEASURING FOR YOUR SHOWER DOOR

Note: Your measurements should be taken after tray installation and tiling. The space left after tiling will determine the shower door size required.

FOR A RECESS

Measurement at low point _____
Measurement at high point _____

*Two measures relevant for uneven walls to ensure shower door caters for adjustment width needed.




FOR A CORNER

Measure to acute edge of shower tray
Measurement A _____ B _____

FOR A QUADRANT

RADIUS GUIDE	
DISTANCE C (mm)	RADIUS (mm)
186	450
197	475
207	500
218	525
228	550
249	600

Timbers placed at right angles to determine C



Measurement A _____ B _____ C _____



INFORMATION

LIFETIME GUARANTEE

Flair Shower doors and Wetroom screens are covered by a lifetime guarantee against manufacturer defect. This guarantee is valid on the condition that goods are installed and maintained in accordance with our instructions and best practice.

Non glass and detachable parts such as rollers, seals etc. are subject to normal wear and tear during usage and are under guarantee for 12 months from time of purchase.

10 YEAR GUARANTEE

Flair Bath Screens are covered by a 10 year guarantee against manufacturer defect. This guarantee is valid on the condition that screens have been installed and maintained in accordance with our instructions and best practice.

Non glass and spare parts such as rollers, seals etc. are subject to normal wear and tear during usage and are therefore under guarantee for 12 months from time of purchase.

If a Flair shower enclosure is defective in materials or manufacture, the consumer should contact the sales office on +353 42 966 8000 as soon as the defect is discovered.

Please note: Proof of purchase is necessary to validate your guarantee so retain purchase receipt for your Flair product.

INSTALLATION

Full installation instructions are provided with each Flair product to ensure correct installation. Shower Doors, Wetroom Screens and Side Panels are adjustable between the dimensions stated. All dimensions are approximate. All Flair products are reversible unless otherwise stated.

SHOWER TRAY INSTALLATION

All shower trays must be installed as per instructions supplied. Install on a base of fine sand, cement and cement additive. Please note: Silicone sealants, foams, mastics, installation compound adhesive or similar must not be used as a substitute for cement. Ensure shower tray is 100% level and water test to ensure water is draining correctly. If not satisfied at any stage do not proceed with fitting. Fitting of Shower Tray is acceptance of quality.

GLASS TREATMENT SYSTEMS

Flair Shower doors, wetroom panels and bath screens are supplied with a special glass coating designed to reduce limescale build up and make cleaning the glass easier:



WITHOUT TREATMENT



WITH TREATMENT



This special glass coating guards against limescale and the grime of everyday showering. It makes the glass easier to clean without the need for harsh abrasives and cleaners. Clearshield glass coating is available across the Namara range.

CLEANEASY



Cleaneasy glass coating is a standard feature on all Flair shower doors, wetroom screens and the FBS bath screen range. This easy to clean glass coating is applied to the glass surface and ensures that soap deposits and lime scale are easily cleaned off the glass.

QUALITY GUARANTEE

All Flair products are CE approved and manufactured in accordance with ISO 9001: 2000 Quality Assurance systems. All glass is toughened safety glass and produced to EN12150. Flair products are performance tested to EN14428, ensuring the highest industry criteria is met.

AFTERSALES & SPARE PARTS SERVICE

Flair is 100% committed to customer service excellence. We carry a full range of spare parts for each of our product ranges and have dedicated aftersales representatives to deal with any issues you may have. If you would like to talk to our customer aftercare team, please contact us on +353 42 966 8000 or sales@flaishowers.com.

CONDITIONS OF SALE

Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods/ incorrect despatch, Flair will not accept the return of any product.

AS PART OF OUR CONTINUING POLICY OF PRODUCT IMPROVEMENT, WE RESERVE THE RIGHT TO AMEND SPECIFICATIONS, COLOURS AND PRICES WITHOUT PRIOR NOTICE.

*Errors and Omissions Exempt.



1/CT/FC09/17



DESIGNED FOR LIFE

Flair Showers Ltd.
Rocks Road
Kingscourt
Co Cavan
Ireland

T +353 42 966 8000
E sales@flairshowers.com

FLAIRSHOWERS.COM
